25/24

SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

Department of Human Services
Division of Health Engineering
(207) 287-5672 FAX (207) 287-4172

PROPERTY LOCATION

Town or Plantation: KENNEBUNK

Street Subdivision Lot #: 576 ALFRED RD.

KENNEBUNK
Date Permit Issued: 7/30/98

3826 TOWN COPY
$ 75 FEE ☐ If Double Fee Charged

Local Plumbing Inspector Signature

L.P.I. # 347

PROPERTY OWNER'S NAME

Last: DESPER First: RITA

Applicant's Name:

Mailing Address of Owner: 04043

Daytime Tel. #: 985-2682

Municipal Tax Map #: Lot #:

Owner Statement

I state that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Department and/or Local Plumbing Inspector to deny a permit

Rita E. Desper 7-21-98
Signature of Owner/Applicant Date

Caution: Inspection Required

I have inspected the installation authorized above and found it to be in compliance with the Subsurface Wastewater Disposal Rules Application

Local Plumbing Inspector Signature Date Approved

PERMIT INFORMATION

TYPE OF APPLICATION

1. ☐ First Time System
2. ■ Replacement System
   Type Replaced CESS POOL
   Year Installed 1955
3. ☐ Expanded System
   ☐ a. one time exempted
   ☐ b. non exempted
4. ☐ Experimental System
5. ☐ Seasonal Conversion

THIS APPLICATION REQUIRES:

1. ■ No Rule Variance
2. ☐ First Time System Variance
   ☐ a. Local Plumbing Inspector approval
   ☐ b. State & Local Plumbing Inspector approval
3. ☐ Replacement System Variance
   ☐ a. Local Plumbing Inspector approval
   ☐ b. State & Local Plumbing Inspector approval
4. ☐ Minimum Lot Size Variance
5. ☐ Seasonal Conversion Approval

DISPOSAL SYSTEM COMPONENT(S)

1. ☐ Non-Engineered System
2. ☐ Primitive System(graywater & alt toilet)
3. ☐ Alternative Toilet
4. ☐ Non-Engineered Treatment Tank
5. ☐ Holding Tank Gallons
6. ■ Non-Engineered Disposal Area (only)
7. ☐ Separated Laundry System
8. ☐ Engineered System (>2000 gpd)
9. ☐ Engineered Treatment Tank (only)
10. ☐ Engineered Disposal Area (only)
11. ☐ Pretreatment

SIZE OF PROPERTY

1 ± A

DISPOSAL SYSTEM TO SERVE:

1. ■ Single Family Dwelling Unit
2. ☐ Multiple Family Dwelling: Number of Units
3. ☐ Other

SHORELAND ZONING

☐ Yes ■ No

TYPE OF WATER SUPPLY

DUG

DESIGN DETAILS (SYSTEM LAYOUT SHOWN ON PAGE 3)

TREATMENT TANK

1. Concrete
   ☐ a. Regular
   ☐ b. Low Profile
2. ☐ Plastic
3. ☐ Other

N/A

SIZE Gallons

DISPOSAL AREA TYPE / SIZE

1. ■ Bed 1000 Sq. Ft.
2. ☐ Proprietary Device Sq. Ft.
   ☐ Cluster ☐ Linear
   ☐ Regular ☐ H-20
3. ☐ Trench
4. ☐ Other

GARBAGE DISPOSAL UNIT

1. ■ No
2. ☐ Yes
   ☐ Multi-compartment tank
   ☐ Tank in series
   ☐ Increase in tank capacity
   ☐ Filter on tank outlet

CRITERIA USED FOR DESIGN FLOW (Show Calculations)

4 BEDROOM HOUSE

PROFILE & DESIGN CLASS

PROFILE	DESIGN
5	B

DEPTH TO MOST LIMITING FACTOR N/E "

DISPOSAL AREA SIZING

1. ☐ Small - 2.00
2. ■ Medium - 2.60
3. ☐ Medium-Large - 3.30
4. ☐ Large - 4.10
5. ☐ Extra-Large - 5.20

PUMPING

1. ■ Not required
2. ☐ May be required
3. ☐ Required

DOSE Gallons

DESIGN FLOW: 360 (Gallons/Day)

SITE EVALUATOR'S STATEMENT

On 6/24/98 (date) I completed a site evaluation on this property and state that the data reported is accurate and that the proposed sytem is in compliance with the Subsurface Wastewater Disposal Rules.

Mark A Truman
Site Evaluator Signature

121
SE #

6-29-98
Date

MARK A. TRUMAN
Site Evaluator Name Printed

985-2493
Telephone


SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

Department of Human Services
Division of Health Engineering
(207) 287-5672 FAX (207) 287-4172

Municipality/Plantation: LEWISTON | Street/Road (Location): 576 ALFRED RD. | Owner's Name: RITA DESPER

SITE PLAN

Scale: 1" = 50 ft.



SOIL DESCRIPTION AND CLASSIFICATION (Location of Observation Holes Shown Above)

Observation Hole: TP ✕ Test Pit ☐ Boring
0" Depth of Organic Horizon Above Mineral Soil

Depth (inches)	Texture	Consistency	Color	Mottling
0-10	SANDY LOAM	VERY FRIABLE	DARK BROWN	
10-20	LOAMY SAND		PALE YELLOW BROWN	
20-40	COARSE GRAVELLY SAND; FINE MEDIUM COARSE SAND	LOOSE	↓	N/E

Soil Classification: Profile	Condition	Slope	Limiting Factor	Ground Water	Restrictive Layer	Bedrock	Pit Depth
5	B	01	N/E"	☐	☐	☐	

Observation Hole: ☐ Test Pit ☐ Boring
" Depth of Organic Horizon Above Mineral Soil

Depth (inches)	Texture	Consistency	Color	Mottling
0-10				
10-20				
20-40				
40-50				

Soil Classification: Profile	Condition	Slope	Limiting Factor	Ground Water	Restrictive Layer	Bedrock	Pit Depth
			"	☐	☐	☐	

Mark A. Thurman — Site Evaluator's Signature
121 — Tel. #
6-29-98 — Date


SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

Department of Human Services
Division of Health Engineering
(207) 287-5672 FAX: (207) 287-4172

Town, City, Plantation	Street, Road, Subdivision	Owner's Name
KENNEBUNK	576 ALFRED RD.	RITA DESPER

SUBSURFACE WASTEWATER DISPOSAL PLAN


SCALE 1" = 20 FT



FILL REQUIREMENTS		CONSTRUCTION ELEVATIONS		ELEVATION REFERENCE POINT
Depth of Fill (Upslope)	0	Finished Grade Elevation	+12"	Location & Description INVERT OF SEPTIC TANK OUTLET
Depth of Fill (Downslope)	0	Top of Distribution Pipe or Proprietary Device	0"	
		Bottom of Disposal Area	-12"	Reference Elevation 0"

DISPOSAL AREA CROSS SECTION

SCALE
VERTICAL 1" = 5
HORIZONTAL 1" = 10



Mark A. Thurman — Site Evaluator Signature
121 — SE #
6-29-98 — Date