Docusign Envelope ID: 54AEA5FC-EC76-8BA5-80BC-50673023CFAD

PROPERTY LOCATED AT: **52 Lake St, Auburn, ME 04210**

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: [X] Public [ ] Private [ ] Seasonal **n/a** [ ] Unknown
[ ] Drilled [ ] Dug [ ] Other **n/a**

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): ..... [ ] N/A [ ] Yes [X] No [ ] Unknown
Quantity: ..... [ ] Yes [X] No [ ] Unknown
Quality: ..... [ ] Yes [X] No [ ] Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ..... [ ] Yes [X] No

~~If Yes, Date of most recent test: _____ Are test results available? .. [ ] Yes [ ] No~~

To your knowledge, have any test results ever:

~~a) Been reported as unsatisfactory or satisfactory with notation?..... [ ] Yes [ ] No~~
~~b) Detected perfluoroalkyl and polyfluoroalkyl (PFA) substances? [ ] Yes [ ] No~~
~~If Yes to (a) and/or (b) above, are test results available? ..... [ ] Yes [ ] No~~

What steps were taken to remedy the problem? **n/a**

IF PRIVATE: (Strike Section if Not Applicable):

~~INSTALLATION: Location: _____~~
~~Installed by: _____~~
~~Date of Installation: _____~~

USE: ~~Number of persons currently using system: _____~~
~~Does system supply water for more than one household? [ ] Yes [ ] No [ ] Unknown~~

Comments: **none**

Source of Section I information: **Seller, Prior Disclosures**

Docusign Envelope ID: 54AEA5FC-EC76-8BA5-80BC-50673023CFAD

PROPERTY LOCATED AT: **52 Lake St, Auburn, ME 04210**

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: [X] Public [ ] Private [ ] Quasi-Public _____ [ ] Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected? ..... [X] Yes [ ] No

If Yes, what results: **tree roots found in the line soon after sellers purchased the home**

Have you experienced any problems such as line or other malfunctions? ..... [X] Yes [ ] No

What steps were taken to remedy the problem? **Able Power Rooter cleared line**

IF PRIVATE (Strike Section if Not Applicable):

~~Tank: [ ] Septic Tank [ ] Holding Tank [ ] Cesspool [ ] Other: _____~~

~~[ ] Overboard Discharge (38 MRS Section 413(3) and (3-A))~~

~~Tank Size: [ ] 500 Gallon [ ] 1000 Gallon [ ] Unknown [ ] Other: _____~~

~~Tank Type: [ ] Concrete [ ] Metal [ ] Unknown [ ] Other: _____~~

~~Location: _____ OR [ ] Unknown~~

~~Date installed: _____ Date last pumped: _____ Name of pumping company: _____~~

~~Have you experienced any malfunctions? ..... [ ] Yes [ ] No~~

If Yes, give the date and describe the problem: **n/a**

~~Date of last servicing of tank: _____ Name of company servicing tank: _____~~

~~Leach Field: ..... [ ] Yes [ ] No [ ] Unknown~~

~~If Yes, Location: _____~~

~~Date of installation of leach field: _____ Installed by: _____~~

~~Date of last servicing of leach field: _____ Company servicing leach field: _____~~

~~Have you experienced any malfunctions? ..... [ ] Yes [ ] No~~

If Yes, give the date and describe the problem and what steps were taken to remedy: **n/a**

Do you have records of the design indicating the # of bedrooms the system was designed for? [ ] Yes [X] No

If Yes, are they available? ..... [ ] Yes [X] No

Is System located in a Shoreland Zone? ..... [ ] Yes [X] No [ ] Unknown

Comments: **none**

Source of Section II information: **Seller, Prior Disclosures**

Docusign Envelope ID: 54AEA5FC-EC76-8BA5-80BC-50673023CFAD

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	**FHA**	**Pellet Stove**		
Age of system(s) or source(s)	**1977**	**5 +/-yrs old**		
TYPE(S) of Fuel	**oil**	**pellets**		
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	**approx 500-600gal**	**approx 2 tons**		
Name of company that services system(s) or source(s)	**Rudy's Burner Svc**	**n/a**		
Date of most recent service call	**2025**	**n/a**		
Malfunctions per system(s) or source(s) within past 2 years	**no**	**no**		
Other pertinent information	**no**	**no**		

Are there fuel supply lines? ..... [X] Yes [ ] No [ ] Unknown
Are any buried? ..... [ ] Yes [X] No [ ] Unknown
Are all sleeved? ..... [X] Yes [ ] No [ ] Unknown
Chimney(s): ..... [X] Yes [ ] No
If Yes, are they lined: ..... [ ] Yes [ ] No [X] Unknown
Is more than one heat source vented through one flue? ..... [ ] Yes [X] No [ ] Unknown
Had a chimney fire: ..... [ ] Yes [X] No [ ] Unknown
Has chimney(s) been inspected? ..... [ ] Yes [ ] No [X] Unknown
If Yes, date: **n/a**
Date chimney(s) last cleaned: **unknown**
Direct and/or Power Vent(s): ..... [X] Yes [ ] No [ ] Unknown
Has vent(s) been inspected? ..... [ ] Yes [X] No [ ] Unknown
If Yes, date: **n/a**

Comments: **1961 Fire in the attic, seller installed additional support in attic when purchased, electric hot water heater 5-6yrs old**

Source of Section III information: **Seller, Prior Disclosures**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ..... [ ] Yes [ ] No [X] Unknown
If Yes, are tanks in current use? ..... [ ] Yes [ ] No [X] Unknown
If no longer in use, how long have they been out of service? **n/a**
If tanks are no longer in use, have tanks been abandoned according to DEP? [ ] Yes [X] No [ ] Unknown
Are tanks registered with DEP? ..... [ ] Yes [X] No [ ] Unknown
Age of tank(s): **n/a** Size of tank(s): **n/a**
Location: **n/a**

Docusign Envelope ID: 54AEA5FC-EC76-8BA5-80BC-50673023CFAD

What materials are, or were, stored in the tank(s)? **n/a**

Have you experienced any problems such as leakage: ..... ☐ Yes ☒ No ☐ Unknown

Comments: **Seller has no knowledge of underground storage tanks at property**

Source of information: **Seller**

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work?	☐ Yes	☐ No	☒ Unknown
In the ceilings?	☐ Yes	☐ No	☒ Unknown
In the siding?	☐ Yes	☐ No	☒ Unknown
In the roofing shingles?	☐ Yes	☐ No	☒ Unknown
In flooring tiles?	☐ Yes	☐ No	☒ Unknown
Other: **n/a**	☐ Yes	☐ No	☒ Unknown

Comments: **Seller has no knowledge of Asbestos at the property**

Source of information: **Seller**

C. RADON/AIR - Current or previously existing:

Has the property been tested? ..... ☐ Yes ☐ No ☒ Unknown

If Yes: Date: **n/a** By: **n/a**

Results: **n/a**

If applicable, what remedial steps were taken? **n/a**

Has the property been tested since remedial steps? ..... ☐ Yes ☒ No ☐ Unknown

Are test results available? ..... ☐ Yes ☒ No

Results/Comments: **n/a**

Source of information: **Seller**

D. RADON/WATER - Current or previously existing:

Has the property been tested? ..... ☐ Yes ☒ No ☐ Unknown

If Yes: Date: **n/a** By: **n/a**

Results: **n/a**

If applicable, what remedial steps were taken? **n/a**

Has the property been tested since remedial steps? ..... ☐ Yes ☒ No ☐ Unknown

Are test results available? ..... ☐ Yes ☒ No

Results/Comments: **n/a**

Source of information: **Public Water**

E. METHAMPHETAMINE - Current or previously existing: ☐ Yes ☐ No ☒ Unknown

Comments: **Seller is unaware of any methamphetamine ever existing on the property**

Source of information: **Seller, Prior Disclosures**

Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Docusign Envelope ID: 54AEA5FC-EC76-8BA5-80BC-50673023CFAD

F. LEAD-BASED PAINT/PAINT HAZARDS - *(Note: Lead-based paint is most commonly found in homes constructed prior to 1978)*

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property? ..... ☐ Yes ☐ No ☐ Unknown ☒ Unknown (but possible due to age)

If Yes, describe location and basis for determination: **seller used test swabs on a couple locations, tested negative, no reports available**

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: **n/a**

Are you aware of any cracking, peeling or flaking paint? ..... ☐ Yes ☒ No

Comments: **Seller has no knowledge of Lead based paint at property**

Source of information: **Seller**

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL:	☐ Yes	☐ No	☒ Unknown
LAND FILL:	☐ Yes	☐ No	☒ Unknown
RADIOACTIVE MATERIAL:	☐ Yes	☐ No	☒ Unknown

Other: **n/a**

Source of information: **Seller, Prior Disclosures**

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ..... ☒ Yes ☐ No ☐ Unknown

If Yes, explain: **to be able to access area to garage next door if repairs are needed**

Source of information: **Deed**

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ..... ☒ Yes ☐ No ☐ Unknown

If No, who is responsible for maintenance? **n/a**

Road Association Name (if known): **n/a**

Source of information: **Public Records**

Docusign Envelope ID: 54AEA5FC-EC76-8BA5-80BC-50673023CFAD

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

(1) A general and temporary condition of partial or complete inundation of normally dry areas from:(a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or

(2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines “area of special flood hazard” as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ……. ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? ……... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? ……. ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? ……... ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? …… ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ……... ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

_____

Relevant Panel Number: _____ Year: _____ (Attach a copy)

Comments: **none**

Source of Section VI information: **FEMA Map**

Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Docusign Envelope ID: 54AEA5FC-EC76-8BA5-80BC-50673023CFAD

PROPERTY LOCATED AT: **52 Lake St, Auburn, ME 04210**

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?..... ☐ Yes ☐ No ☒ Unknown

If Yes, explain: **n/a**

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **n/a**

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, solar panels, wind turbines): Type: **none**

From Whom: **n/a**

Year Principal Structure Built: **1917** What year did Seller acquire property? **2020**

Roof: Year Shingles/Other Installed: **1996**

Water, moisture or leakage: **none known**

Comments: **n/a**

Foundation/Basement:

Is there a Sump Pump? ..... ☐ Yes ☒ No ☐ Unknown

Water, moisture or leakage since you owned the property: ..... ☒ Yes ☐ No ☐ Unknown

Prior water, moisture or leakage? ..... ☒ Yes ☐ No ☐ Unknown

Comments: **Moisture & Dampness when it rains**

Mold: Has the property ever been tested for mold? ..... ☒ Yes ☐ No ☐ Unknown

If Yes, are test results available? ..... ☐ Yes ☒ No

Comments: **Seller tested with a home kit with negative test results, no reports available**

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ Unknown

Comments: **n/a**

Has all or a portion of the property been surveyed? ..... ☐ Yes ☐ No ☒ Unknown

If Yes, is the survey available? ..... ☐ Yes ☒ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ..... ☐ Yes ☒ No ☐ Unknown

Modular ..... ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure ..... ☒ Yes ☐ No ☐ Unknown

Comments: **mice & bats in the attic on occasion, seller set up traps**

Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

PROPERTY LOCATED AT: **52 Lake St, Auburn, ME 04210**

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: **none known**

Comments: **none**

Source of Section VII information: **Seller/Visual Inspection**

SECTION VIII - ADDITIONAL INFORMATION

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ..... ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

DocuSigned by:
Ronald Plowman
CC7FEAF76DC44FC...

11/2/2026

SELLER DATE SELLER DATE

Ronald Plowman

SELLER DATE SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE BUYER DATE

BUYER DATE BUYER DATE

Maine Association of REALTORS®/Copyright © 2026.
All Rights Reserved. Revised August 2026.