Authentisign ID: F1BE9440-ACC1-F111-BF5B-000D3A4FF82A

PROPERTY LOCATED AT: **8 Wilson St, Berwick, ME 03901**

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: [X] Public [ ] Private [ ] Seasonal _____ [ ] Unknown
[ ] Drilled [ ] Dug [ ] Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): ..... [ ] N/A [ ] Yes [X] No [ ] Unknown
Quantity: ..... [ ] Yes [X] No [ ] Unknown
Quality: ..... [ ] Yes [X] No [ ] Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ..... [ ] Yes [X] No
~~If Yes,~~ Date of most recent test: _____ Are test results available? .. [ ] Yes [ ] No
To your knowledge, have any test results ever:

a) Been reported as unsatisfactory or satisfactory with notation?..... [ ] Yes [ ] No
b) Detected perfluoroalkyl and polyfluoroalkyl (PFA) substances? [ ] Yes [ ] No

If Yes to (a) and/or (b) above, are test results available? ..... [ ] Yes [ ] No
What steps were taken to remedy the problem? _____

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: _____
Installed by: _____
Date of Installation: _____

USE: Number of persons currently using system: _____
Does system supply water for more than one household? [ ] Yes [ ] No [ ] Unknown

Comments: **Town Water is tested regularly by the town of Berwick**

Source of Section I information: **Seller Knowledge and Public Records**

Authentisign ID: F1BE9440-ACC1-F111-BF5B-000D3A4FF82A

PROPERTY LOCATED AT: **8 Wilson St, Berwick, ME 03901**

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: [X] Public [ ] Private [ ] Quasi-Public _____ [ ] Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected? ..... [X] Yes [ ] No

If Yes, what results: **Offset in line near street without malfunction**

Have you experienced any problems such as line or other malfunctions? ..... [ ] Yes [X] No

~~What steps were taken to remedy the problem?~~ _____

IF PRIVATE (Strike Section if Not Applicable):

Tank: [ ] Septic Tank [ ] Holding Tank [ ] Cesspool [ ] Other: _____

[ ] Overboard Discharge (38 MRS Section 413(3) and (3-A))

Tank Size: [ ] 500 Gallon [ ] 1000 Gallon [ ] Unknown [ ] Other: _____

Tank Type: [ ] Concrete [ ] Metal [ ] Unknown [ ] Other: _____

Location: _____ OR [ ] Unknown

Date installed: _____ Date last pumped: _____ Name of pumping company: _____

Have you experienced any malfunctions? ..... [ ] Yes [ ] No

If Yes, give the date and describe the problem: _____

_____

Date of last servicing of tank: _____ Name of company servicing tank: _____

Leach Field: ..... [ ] Yes [ ] No [ ] Unknown

If Yes, Location: _____

Date of installation of leach field: _____ Installed by: _____

Date of last servicing of leach field: _____ Company servicing leach field: _____

Have you experienced any malfunctions? ..... [ ] Yes [ ] No

If Yes, give the date and describe the problem and what steps were taken to remedy: _____

_____

Do you have records of the design indicating the # of bedrooms the system was designed for? [ ] Yes [ ] No

If Yes, are they available? ..... [ ] Yes [ ] No

Is System located in a Shoreland Zone? ..... [ ] Yes [ ] No [ ] Unknown

Comments: **None**

Source of Section II information: **Seller Knowledge and Public Records**

Authentisign ID: F1BE9440-ACC1-F111-BF5B-000D3A4FF82A

PROPERTY LOCATED AT: **8 Wilson St, Berwick, ME 03901**

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	**FHW**	**Rinnai Heater**	**mini split**	
Age of system(s) or source(s)	**11 months**	**11 months**	**7 years**	
TYPE(S) of Fuel	**Oil**	**propane**	**Electric**	
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	**744 gal**	**529 gal**	**unkown**	
Name of company that services system(s) or source(s)	**Townsend**	**Lewis Brothers**	**Lewis Brothers**	
Date of most recent service call	**n/a**	**n/a**	**10/25**	
Malfunctions per system(s) or source(s) within past 2 years	**none**	**none**	**Coolant Leak Repaired**	
Other pertinent information	**none**	**none**	**none**	

Are there fuel supply lines? ..... [X] Yes [ ] No [ ] Unknown

Are any buried? ..... [ ] Yes [X] No [ ] Unknown

Are all sleeved? ..... [X] Yes [ ] No [ ] Unknown

Chimney(s): ..... [X] Yes [ ] No

If Yes, are they lined: ..... [X] Yes [ ] No [ ] Unknown

Is more than one heat source vented through one flue? ..... [ ] Yes [X] No [ ] Unknown

Had a chimney fire: ..... [ ] Yes [X] No [ ] Unknown

Has chimney(s) been inspected? ..... [X] Yes [ ] No [ ] Unknown

If Yes, date: **Nov 2017**

Date chimney(s) last cleaned: **Nov 2017**

Direct and/or Power Vent(s): ..... [X] Yes [ ] No [ ] Unknown

Has vent(s) been inspected? ..... [X] Yes [ ] No [ ] Unknown

If Yes, date: **11/25**

Comments: **Chimney Liner installed 2017**

Source of Section III information: **Seller Knowledge**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ..... [ ] Yes [X] No [ ] Unknown

If Yes, are tanks in current use? ..... [ ] Yes [ ] No [ ] Unknown

If no longer in use, how long have they been out of service? _____

If tanks are no longer in use, have tanks been abandoned according to DEP? [ ] Yes [ ] No [ ] Unknown

Are tanks registered with DEP? ..... [ ] Yes [ ] No [ ] Unknown

Age of tank(s): _____ Size of tank(s): _____

Location: _____

Authentisign ID: F1BE9440-ACC1-F111-BF5B-000D3A4FF82A

~~What materials are, or were, stored in the tank(s)?~~

Have you experienced any problems such as leakage: ..... ☐ Yes ☐ No ☐ Unknown

Comments: **None**

Source of information: **Seller Knowledge**

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? ..... ☒ Yes ☐ No ☐ Unknown

In the ceilings? ..... ☐ Yes ☒ No ☐ Unknown

In the siding? ..... ☐ Yes ☒ No ☐ Unknown

In the roofing shingles? ..... ☐ Yes ☒ No ☐ Unknown

In flooring tiles? ..... ☐ Yes ☒ No ☐ Unknown

~~Other:~~ ☐ Yes ☐ No ☐ Unknown

Comments: **Noted on Pipes pre purchase- remediated prior to closing Nov 2017**

Source of information: **Seller Knowledge**

C. RADON/AIR - Current or previously existing:

Has the property been tested? ..... ☒ Yes ☐ No ☐ Unknown

If Yes: Date: **11/2017** By: **Omni-Spect**

Results: **Above Recommended Levels**

If applicable, what remedial steps were taken? **Mitigation installed**

Has the property been tested since remedial steps? ..... ☒ Yes ☐ No ☐ Unknown

Are test results available? ..... ☒ Yes ☐ No

Results/Comments: **12/18/2017 Air Check Inc 2.0 pCi/L**

Source of information: **Radon teast results/ Seller Knowledge**

D. RADON/WATER - Current or previously existing:

Has the property been tested? ..... ☐ Yes ☒ No ☐ Unknown

~~If Yes: Date:~~ By:

Results:

~~If applicable, what remedial steps were taken?~~

Has the property been tested since remedial steps? ..... ☐ Yes ☐ No ☐ Unknown

Are test results available? ..... ☐ Yes ☐ No

Results/Comments: **None**

Source of information: **Seller Knowledge**

E. METHAMPHETAMINE - Current or previously existing: ☐ Yes ☒ No ☐ Unknown

Comments: **None**

Source of information: **Seller Knowledge**

Authentisign ID: F1BE9440-ACC1-F111-BF5B-000D3A4FF82A

F. LEAD-BASED PAINT/PAINT HAZARDS - *(Note: Lead-based paint is most commonly found in homes constructed prior to 1978)*

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property? ..... ☐ Yes ☐ No ☐ Unknown ☒ Unknown (but possible due to age)

~~If Yes, describe location and basis for determination:~~ _____

Do you know of any records/reports pertaining to ~~such lead-based~~ paint/lead-based paint hazards: ☐ Yes ☐ No

If Yes, describe: _____

Are you aware of any cracking, peeling or flaking paint? ..... ☒ Yes ☐ No

Comments: **2nd floor shower**

Source of information: **Seller Knowledge**

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL:	☐ Yes	☒ No	☐ Unknown
LAND FILL:	☐ Yes	☒ No	☐ Unknown
RADIOACTIVE MATERIAL:	☐ Yes	☒ No	☐ Unknown

Other: **None**

Source of information: **Seller Knowledge**

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ..... ☐ Yes ☒ No ☐ Unknown

~~If Yes, explain:~~ _____

Source of information: **Public Records**

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ..... ☒ Yes ☐ No ☐ Unknown

~~If No, who is responsible for maintenance?~~ _____

Road Association Name (if known): _____

Source of information: **Public Records**

Authentisign ID: F1BE9440-ACC1-F111-BF5B-000D3A4FF82A

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

(1) A general and temporary condition of partial or complete inundation of normally dry areas from:(a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or

(2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines “area of special flood hazard” as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ……. ☐ Yes ☒ No ☐ Unknown

~~If Yes, explain:~~ _____

Have any flood events affected a structure on the property? ……... ☐ Yes ☒ No ☐ Unknown

~~If Yes, explain:~~ _____

Has any flood-related damage to a structure occurred on the property? ……. ☐ Yes ☒ No ☐ Unknown

~~If Yes, explain:~~ _____

Has there been any flood insurance claims filed for a structure on the property? ……... ☐ Yes ☒ No ☐ Unknown

~~If Yes, indicate the dates of each claim:~~ _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? …… ☐ Yes ☒ No ☐ Unknown

~~If Yes, indicate the date of each payment:~~ _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ……... ☐ Yes ☐ No ☐ Unknown

~~If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?~~ _____

Relevant Panel Number: **23031C0538G** Year: **2024** (Attach a copy)

Comments: **None**

Source of Section VI information: **Firmette Map**

Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Authentisign ID: F1BE9440-ACC1-F111-BF5B-000D3A4FF82A

PROPERTY LOCATED AT: **8 Wilson St, Berwick, ME 03901**

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain:

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☐ No ☐ Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☐ No ☐ Unknown

If Yes, explain:

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, solar panels, wind turbines): Type: **Prop**

From Whom: **Irving**

Year Principal Structure Built: **1880** What year did Seller acquire property? **2017**

Roof: Year Shingles/Other Installed: **Unkown**

Water, moisture or leakage: **Yes**

Comments: **Leak Repaired September 2026**

Foundation/Basement:

Is there a Sump Pump? ..... ☒ Yes ☐ No ☐ Unknown

Water, moisture or leakage since you owned the property: ..... ☐ Yes ☒ No ☐ Unknown

Prior water, moisture or leakage? ..... ☐ Yes ☒ No ☐ Unknown

Comments: **None**

Mold: Has the property ever been tested for mold? ..... ☒ Yes ☐ No ☐ Unknown

If Yes, are test results available? ..... ☒ Yes ☐ No

Comments: **No Issues Found**

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: ☐ Unknown

Comments: **200 AMP Service, Electrical is shared between house and apartment**

Has all or a portion of the property been surveyed? ..... ☐ Yes ☐ No ☒ Unknown

If Yes, is the survey available? ..... ☐ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ..... ☐ Yes ☒ No ☐ Unknown

Modular ..... ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure ..... ☒ Yes ☐ No ☐ Unknown

Comments: **Woodpecker hole**

Authentisign ID: F1BE9440-ACC1-F111-BF5B-000D3A4FF82A

PROPERTY LOCATED AT: **8 Wilson St, Berwick, ME 03901**

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: **None Known**

Comments: **None**

Source of Section VII information: **Seller Knowledge**

SECTION VIII - ADDITIONAL INFORMATION

Home is Pre-Inspected, report is available. Hybrid hot water heater was installed in September 2026. Expanded & paved driveway/ parking lot 2018. Added apartment & permitted w/ Town 2022. Apartment shower stall has a crack. Front bay window has small hole/ inside trim needs work. Maine State energy efficiency audit 2022- added spray foam in basement, insulation in attic.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ..... [X] Yes [ ] No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Authentisign Anthony R Raitt	10/06/2026	Authentisign Mistee L. Boyd	10/06/2026
SELLER	DATE	SELLER	DATE
Anthony R. Raitt		**Mistee L. Boyd**	
SELLER	DATE	SELLER	DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER	DATE	BUYER	DATE
BUYER	DATE	BUYER	DATE

REALTOR®

Maine Association of REALTORS®/Copyright © 2026.
All Rights Reserved. Revised August 2026.

EQUAL HOUSING OPPORTUNITY

Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com