Authentisign ID: 35E29B85-5E8E-F011-9BE8-000D3A4FF82A

PROPERTY LOCATED AT: **98 Vista Dr., Windham, ME 04062**

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Seasonal _____ ☐ Unknown
☒ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): ..... ☐ N/A ☒ Yes ☐ No ☐ Unknown
Quantity: ..... ☐ Yes ☒ No ☐ Unknown
Quality: ..... ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ..... ☒ Yes ☐ No
If Yes, Date of most recent test: **12/16/25** Are test results available? .. ☒ Yes ☐ No
To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? ..... ☒ Yes ☐ No
If Yes, are test results available? ..... ☒ Yes ☐ No
~~What steps were taken to remedy the problem?~~ Migitation system installed to treat manganese and iron.

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: **back right**
Installed by: **Stanley Hillock**
Date of Installation: **unknown**

USE: Number of persons currently using system: **3 - seasonally**
Does system supply water for more than one household? ☐ Yes ☒ No ☐ Unknown

Comments: ===== Seller has not tested the water for PFAS.

Source of Section I information: **Seller**

Buyer Initials _____ _____ _____ _____ Seller Initials MB _____ _____ _____ _____

Authentisign ID: 35E29B57-5E9E-F011-9BE8-000D3A24F82A

PROPERTY LOCATED AT: **98 Vista Dr., Windham, ME 04062**

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Quasi-Public _____ ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

~~Have you had the sewer line inspected?~~ ..... ☐ ~~Yes~~ ☐ ~~No~~

~~If Yes, what results:~~ _____

~~Have you experienced any problems such as line or other malfunctions?~~ ..... ☐ ~~Yes~~ ☐ ~~No~~

~~What steps were taken to remedy the problem?~~ _____

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____

☐ Overboard Discharge (38 MRS Section 413(3) and (3-A))

Tank Size: ☐ 500 Gallon ☒ 1000 Gallon ☐ Unknown ☐ Other: _____

Tank Type: ☐ Concrete ☐ Metal ☐ Unknown ☒ Other: **fiberglass**

Location: **bottom of driveway (under flower pots)** OR ☐ Unknown

Date installed: **2025** Date last pumped: **none** Name of pumping company: **Advanced Septic**

Have you experienced any malfunctions? ..... ☐ Yes ☒ No

If Yes, give the date and describe the problem: **N/A**

Date of last servicing of tank: **June '26** Name of company servicing tank: **N/A**

Leach Field: ..... ☒ Yes ☐ No ☐ Unknown

If Yes, Location: **left of driveway**

Date of installation of leach field: **2025** Installed by: **Andrew Cail**

Date of last servicing of leach field: **08/19/2026** Company servicing leach field: **N/A**

Have you experienced any malfunctions? ..... ☐ Yes ☒ No

If Yes, give the date and describe the problem and what steps were taken to remedy: **N/A**

Do you have records of the design indicating the # of bedrooms the system was designed for? ☒ Yes ☐ No

If Yes, are they available? ..... ☒ Yes ☐ No

Is System located in a Shoreland Zone? ..... ☒ Yes ☐ No ☐ Unknown

Comments: **Tank was serviced June '26, with 3 year service plan through June '28. See attachment.**

Source of Section II information: **Seller**

Produced with Lone Wolf Transactions (zipForm Edition) 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Authentisign ID: 35E29B57-5E03-EF11-9E58-000D3A24FB2A

PROPERTY LOCATED AT: **98 Vista Dr., Windham, ME 04062**

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	**heat pumps**	**radiant**	**wood stove**	----------
Age of system(s) or source(s)	**2025**	**2025**	**2025**	
TYPE(S) of Fuel	**electric**	**electric**	**wood**	
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	**part of whole house bill**	**part of whole house bill**	**30 bundles (maybe 72 pieces of wood)**	
Name of company that services system(s) or source(s)	**none needed**	**none needed**	**none needed**	
Date of most recent service call	**none needed**	**none needed**	**none needed**	
Malfunctions per system(s) or source(s) within past 2 years	**none known**	**none known**	**none known**	
Other pertinent information	**1 in basement and 1 in attic**	**1st fl. bathroom and primary bathroom**	**living room**	

Are there fuel supply lines? ☐ Yes ☒ No ☐ Unknown

~~Are any buried?~~ ☐ Yes ☐ No ☐ Unknown

~~Are all sleeved?~~ ☐ Yes ☐ No ☐ Unknown

Chimney(s): ☐ Yes ☒ No

~~If Yes, are they lined:~~ ☐ Yes ☐ No ☐ Unknown

Is more than one heat source vented through one flue? ☐ Yes ☒ No ☐ Unknown

~~Had a chimney fire:~~ ☐ Yes ☐ No ☐ Unknown

~~Has chimney(s) been inspected?~~ ☐ Yes ☐ No ☐ Unknown

~~If Yes, date:~~ _____

~~Date chimney(s) last cleaned:~~ _____

Direct and/or Power Vent(s): ☐ Yes ☒ No ☐ Unknown

~~Has vent(s) been inspected?~~ ☐ Yes ☐ No ☐ Unknown

~~If Yes, date:~~ _____

Comments: **Exterior stainless flue for woodstove**

Source of Section III information: **Seller**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ☐ Yes ☒ No ☐ Unknown

~~If Yes, are tanks in current use?~~ ☐ Yes ☐ No ☐ Unknown

~~If no longer in use, how long have they been out of service?~~ _____

~~If tanks are no longer in use, have tanks been abandoned according to DEP?~~ ☐ Yes ☐ No ☐ Unknown

~~Are tanks registered with DEP?~~ ☐ Yes ☐ No ☐ Unknown

~~Age of tank(s):~~ _____ ~~Size of tank(s):~~ _____

~~Location:~~ _____

Produced with Lone Wolf Transactions (zipForm Edition) 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Authentisign ID: 3[illegible]

What materials are, or were, stored in the tank(s)? _____

Have you experienced any problems such as leakage: ..... ☐ Yes ☐ No ☐ Unknown

Comments: **none**

Source of information: **Seller**

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work?	☐ Yes	☒ No	☐ Unknown
In the ceilings?	☐ Yes	☒ No	☐ Unknown
In the siding?	☐ Yes	☒ No	☐ Unknown
In the roofing shingles?	☐ Yes	☒ No	☐ Unknown
In flooring tiles?	☐ Yes	☒ No	☐ Unknown
Other: **none**	☐ Yes	☒ No	☐ Unknown

Comments: **none**

Source of information: **Seller**

C. RADON/AIR - Current or previously existing:

Has the property been tested? ..... ☒ Yes ☐ No ☐ Unknown

If Yes: Date: **2025** By: **Maine Radon & Water Treatment, LLC**

Results: unknown

If applicable, what remedial steps were taken? Radon/air mitigation system installed

Has the property been tested since remedial steps? ..... X Yes ☐ No ☐ Unknown

Are test results available? ..... X Yes ☐ No

Results/Comments: ==========. New results .8 pCi/L, by LabTech RadonOK

Source of information: **Seller**

D. RADON/WATER - Current or previously existing:

Has the property been tested? ..... ☒ Yes ☐ No ☐ Unknown

If Yes: Date: **12/16/25** By: **Maine Radon & Water Treatment, LLC**

Results: **261.66 pCi/L [EPA limit is 4000 pCi/L]**

If applicable, what remedial steps were taken? **Not required**

Has the property been tested since remedial steps? ..... ☐ Yes ☐ No ☐ Unknown

Are test results available? ..... ☒ Yes ☐ No

Results/Comments: **No remedial steps needed; the pCi/L is less than the EPA limit**

Source of information: **Seller and report**

E. METHAMPHETAMINE - Current or previously existing: ☐ Yes ☒ No ☐ Unknown

Comments: **none**

Source of information: **Seller**

Authentisign ID: 35E[illegible]

F. LEAD-BASED PAINT/PAINT HAZARDS - *(Note: Lead-based paint is most commonly found in homes constructed prior to 1978)*

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property? ..... ☐ Yes ☒ No ☐ Unknown ☐ Unknown (but possible due to age)

If Yes, describe location and basis for determination:

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe:

Are you aware of any cracking, peeling or flaking paint? ..... ☐ Yes ☒ No

Comments: **none**

Source of information: **Seller**

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL:	☐ Yes	☒ No	☐ Unknown
LAND FILL:	☐ Yes	☒ No	☐ Unknown
RADIOACTIVE MATERIAL:	☐ Yes	☒ No	☐ Unknown

Other: **none known**

Source of information: **Seller**

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ..... ☒ Yes ☐ No ☐ Unknown

If Yes, explain: **Right-of-Way for shared water access is within 60' feet from the property.**

Source of information: **Seller and deed.**

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ..... ☐ Yes ☒ No ☐ Unknown

If No, who is responsible for maintenance? **Town plows. Highland Lake Assoc., Inc. maintains.**

Road Association Name (if known): **Highland Lake Association Inc.**

Source of information: **Seller**

Produced with Lone Wolf Transactions (zipForm Edition) 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Authentisign ID: 35E29B85-5E9E-4E11-9EE8-00D2B24FF82A

PROPERTY LOCATED AT: **98 Vista Dr., Windham, ME 04062**

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

(1) A general and temporary condition of partial or complete inundation of normally dry areas from:(a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or

(2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines “area of special flood hazard” as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ……. ☐ Yes ☒ No ☐ Unknown

~~If Yes, explain:~~ _____

Have any flood events affected a structure on the property? ……... ☐ Yes ☒ No ☐ Unknown

~~If Yes, explain:~~ _____

Has any flood-related damage to a structure occurred on the property? ……. ☐ Yes ☒ No ☐ Unknown

~~If Yes, explain:~~ _____

Has there been any flood insurance claims filed for a structure on the property? ……... ☐ Yes ☒ No ☐ Unknown

~~If Yes, indicate the dates of each claim:~~ _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? …… ☐ Yes ☒ No ☐ Unknown

~~If Yes, indicate the date of each payment:~~ _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? …….. ☐ Yes ☒ No ☐ Unknown

~~If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?~~ _____

Relevant Panel Number: **23005C0511F** Year: **06/20/24** (Attach a copy)

Comments: **Seller's home is even further back from water than the prior home which is shown on map.**

Source of Section VI information: **Seller**

Buyer Initials _____ _____ _____ _____ Page 6 of 8 Seller Initials MB _____ _____ _____ _____

Authentisign ID: 35E29B85-5E9E-F011-9BE8-000D3A24FB2A

PROPERTY LOCATED AT: **98 Vista Dr., Windham, ME 04062**

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?..... ☐ Yes ☒ No ☐ Unknown

~~If Yes, explain:~~

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ Unknown

~~If Yes, explain:~~

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: **See "Features and Highlights" attachment.**

Year Principal Structure Built: **2025-2026** What year did Seller acquire property? **2024**

MB

Roof: Year Shingles/Other Installed: **2025** - house; ==== - shed 2026

Water, moisture or leakage: **none known**

Comments: **New solar array on the roof**

Foundation/Basement:

Is there a Sump Pump? ..... ☐ Yes ☒ No ☐ Unknown

Water, moisture or leakage since you owned the property: ..... ☐ Yes ☒ No ☐ Unknown

Prior water, moisture or leakage? ..... ☐ Yes ☐ No ☒ Unknown

Comments: **New construction**

Mold: Has the property ever been tested for mold? ..... ☐ Yes ☒ No ☐ Unknown

~~If Yes, are test results available? ...~~..... ~~☐ Yes ☐ No~~

Comments: **None**

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ Unknown

Comments: **Underground 200-amp (from pole to left of door)**

Has all or a portion of the property been surveyed? ..... ☒ Yes ☐ No ☐ Unknown

If Yes, is the survey available? ..... ☒ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ..... ☐ Yes ☒ No ☐ Unknown

Modular ..... ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure ..... ☐ Yes ☒ No ☐ Unknown

Comments: **none known**

Buyer Initials _____ Seller Initials MB

Authentisign ID: 35E29B85-5E8E-4E11-9BE8-00D2B24FF82A

PROPERTY LOCATED AT: **98 Vista Dr., Windham, ME 04062**

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: **none known**

Comments: **none**

Source of Section VII information: **Seller**

SECTION VIII - ADDITIONAL INFORMATION

See attached "Features and Highlights".

MB

Wooden 6' x 60' wooden privacy fence was added in 2026. Shed siding and roof completed in 2026.

xxxxxxxxxxxxxxxxxx

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ..... [X] Yes [ ] No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Michael Bernier 08/24/26

SELLER DATE SELLER DATE

Michael Bernier

SELLER DATE SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE BUYER DATE

BUYER DATE BUYER DATE

Maine Association of REALTORS®/Copyright © 2026.
All Rights Reserved. Revised October 2025.

Produced with Lone Wolf Transactions (zipForm Edition) 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com