Docusign Envelope ID: 69076672-1C74-841A-8168-328A41FA9AF8

PROPERTY LOCATED AT: **78 Deer Creek Crossing, Durham, ME 04222**

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Seasonal **N/A** ☐ Unknown
☒ Drilled ☐ Dug ☐ Other **N/A**

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any):	☐ N/A	☐ Yes	☒ No	☐ Unknown
Quantity:		☐ Yes	☒ No	☐ Unknown
Quality:		☒ Yes	☐ No	☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST:
Have you had the water tested? ..... ☒ Yes ☐ No
If Yes, Date of most recent test: **07/07/2026** Are test results available? .. ☒ Yes ☐ No
To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? ..... ☒ Yes ☐ No
If Yes, are test results available? ..... ☒ Yes ☐ No
What steps were taken to remedy the problem? **Will retest Radon due to well just being installed.**

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: **From side lawn**
Installed by: **Temple Well Drilling**
Date of Installation: **2026**

USE: Number of persons currently using system: **2**
Does system supply water for more than one household? ☐ Yes ☒ No ☐ Unknown

Comments: **Brand New Construction. Per Fontus Water they will wait to retest water since well was just installed. Radon came back slightly high at 4,899 pCi/L.**

Source of Section I information: **Seller, Builder**

Buyer Initials _____ _____ _____ _____ Seller Initials SS _____ _____ _____ _____

Initial

Docusign Envelope ID: 69076672-1C74-841A-8168-328A41FA9AF8

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Quasi-Public **N/A** ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

~~Have you had the sewer line inspected? ..... ☐ Yes ☐ No~~

~~If Yes, what results:~~

~~Have you experienced any problems such as line or other malfunctions? ..... ☐ Yes ☐ No~~

~~What steps were taken to remedy the problem?~~

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: **N/A**
☐ Overboard Discharge (38 MRS Section 413(3) and (3-A))

Tank Size: ☐ 500 Gallon ☒ 1000 Gallon ☐ Unknown ☐ Other: **N/A**

Tank Type: ☒ Concrete ☐ Metal ☐ Unknown ☐ Other: **N/A**

Location: **Back of home** OR ☐ Unknown

Date installed: **2026** Date last pumped: **N/A** Name of pumping company: **N/A**

Have you experienced any malfunctions? ..... ☐ Yes ☒ No

If Yes, give the date and describe the problem: **N/A**

Date of last servicing of tank: **2026** Name of company servicing tank: **RS Excavation**

Leach Field: ..... ☒ Yes ☐ No ☐ Unknown

If Yes, Location: **Back of home**

Date of installation of leach field: **2026** Installed by: **RS Excavation**

Date of last servicing of leach field: **2026** Company servicing leach field: **RS Excavation**

Have you experienced any malfunctions? ..... ☐ Yes ☒ No

If Yes, give the date and describe the problem and what steps were taken to remedy: **N/A**

Do you have records of the design indicating the # of bedrooms the system was designed for? ☒ Yes ☐ No

If Yes, are they available? ..... ☒ Yes ☐ No

Is System located in a Shoreland Zone? ..... ☐ Yes ☒ No ☐ Unknown

Comments: **None**

Source of Section II information: **Seller, Builder**

Produced with Lone Wolf Transactions (zipForm Edition) 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Docusign Envelope ID: 69076672-1C74-841A-8168-328A41FA9AF8

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	**Heat Pumps**	**Propane Fireplace**	**N/A**	**N/A**
Age of system(s) or source(s)	**2026**	**2026**	**N/A**	**N/A**
TYPE(S) of Fuel	**Electric**	**Propane**	**N/A**	**N/A**
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	**N/A Seller moved in 7/2026**	**N/A Seller moved in 7/2026**	**N/A**	**N/A**
Name of company that services system(s) or source(s)	**N/A**	**N/A**	**N/A**	**N/A**
Date of most recent service call	**N/A**	**N/A**	**N/A**	**N/A**
Malfunctions per system(s) or source(s) within past 2 years	**N/A**	**N/A**	**N/A**	**N/A**
Other pertinent information	**Provides AC Seller moved in 7/2026**	**New Construction Seller moved in 7/2026**	**N/A**	**N/A**

Are there fuel supply lines? ..... [X] Yes [ ] No [ ] Unknown
Are any buried? ..... [X] Yes [ ] No [ ] Unknown
Are all sleeved? ..... [X] Yes [ ] No [ ] Unknown
Chimney(s): ..... [ ] Yes [X] No
If Yes, are they lined: ..... [ ] Yes [X] No [ ] Unknown
Is more than one heat source vented through one flue? ..... [ ] Yes [X] No [ ] Unknown
Had a chimney fire: ..... [ ] Yes [X] No [ ] Unknown
Has chimney(s) been inspected? ..... [ ] Yes [X] No [ ] Unknown
If Yes, date: **N/A**
Date chimney(s) last cleaned: **N/A**
Direct and/or Power Vent(s): ..... [X] Yes [ ] No [ ] Unknown
Has vent(s) been inspected? ..... [ ] Yes [X] No [ ] Unknown
If Yes, date: **N/A**

Comments: **New Construction**

Source of Section III information: **Seller, Builder**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ..... [ ] Yes [X] No [ ] Unknown
If Yes, are tanks in current use? ..... [ ] Yes [X] No [ ] Unknown
If no longer in use, how long have they been out of service? **N/A**
If tanks are no longer in use, have tanks been abandoned according to DEP? [ ] Yes [X] No [ ] Unknown
Are tanks registered with DEP? ..... [ ] Yes [X] No [ ] Unknown
Age of tank(s): **N/A** Size of tank(s): **N/A**
Location: **N/A**

Produced with Lone Wolf Transactions (zipForm Edition) 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Docusign Envelope ID: 69076672-1C74-841A-8168-328A41FA9AF8

What materials are, or were, stored in the tank(s)? **N/A**

Have you experienced any problems such as leakage: ..... ☐ Yes ☒ No ☐ Unknown

Comments: **None**

Source of information: **Seller, Builder**

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work?	☐ Yes	☒ No	☐ Unknown
In the ceilings?	☐ Yes	☒ No	☐ Unknown
In the siding?	☐ Yes	☒ No	☐ Unknown
In the roofing shingles?	☐ Yes	☒ No	☐ Unknown
In flooring tiles?	☐ Yes	☒ No	☐ Unknown
Other: **N/A**	☐ Yes	☒ No	☐ Unknown

Comments: **None. New Construction**

Source of information: **Seller, Builder**

C. RADON/AIR - Current or previously existing:

Has the property been tested? ..... ☒ Yes ☐ No ☐ Unknown

If Yes: Date: **June 17, 2026** By: **Breeze Radon Monitoring Systems**

Results: **3.4 pCi/L**

If applicable, what remedial steps were taken? **None needed**

Has the property been tested since remedial steps? ..... ☐ Yes ☒ No ☐ Unknown

Are test results available? ..... ☒ Yes ☐ No

Results/Comments: **Mitigation system was not needed.**

Source of information: **Seller, Builder**

D. RADON/WATER - Current or previously existing:

Has the property been tested? ..... ☒ Yes ☐ No ☐ Unknown

If Yes: Date: **July 7, 2026** By: **Fontus Water**

Results: **4,899 pCi/L**

If applicable, what remedial steps were taken? **Will retest due to well being recently installed.**

Has the property been tested since remedial steps? ..... ☐ Yes ☒ No ☐ Unknown

Are test results available? ..... ☐ Yes ☒ No

Results/Comments: **Will retest due to well being recently installed and the results were slightly elevated at 4,899 pCi/L.**

Source of information: **Seller, Builder**

E. METHAMPHETAMINE - Current or previously existing: ☐ Yes ☒ No ☐ Unknown

Comments: **None**

Source of information: **Seller**

Docusign Envelope ID: 69076672-1C74-841A-8168-328A41FA9AF8

F. LEAD-BASED PAINT/PAINT HAZARDS - *(Note: Lead-based paint is most commonly found in homes constructed prior to 1978)*

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property? ..... ☐ Yes ☒ No ☐ Unknown ☐ Unknown (but possible due to age)

If Yes, describe location and basis for determination: **N/A**

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: **N/A**

Are you aware of any cracking, peeling or flaking paint? ..... ☐ Yes ☒ No

Comments: **New Construction**

Source of information: **Seller**

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL:	☐ Yes	☒ No	☐ Unknown
LAND FILL:	☐ Yes	☒ No	☐ Unknown
RADIOACTIVE MATERIAL:	☐ Yes	☒ No	☐ Unknown

Other: **N/A**

Source of information: **Seller**

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ..... ☒ Yes ☐ No ☐ Unknown

If Yes, explain: **Road Maintenance Agreement & Covenants**

Source of information: **Seller, Public Documents**

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ..... ☐ Yes ☒ No ☐ Unknown

If No, who is responsible for maintenance? **Deer Creek Crossing Association**

Road Association Name (if known): **Deer Creek Crossing Association**

Source of information: **Seller, Builder**

Docusign Envelope ID: 69076672-1C74-841A-8168-328A41FA9AF8

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

(1) A general and temporary condition of partial or complete inundation of normally dry areas from:(a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or

(2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines “area of special flood hazard” as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ……. ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **N/A**

Have any flood events affected a structure on the property? ……... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **N/A**

Has any flood-related damage to a structure occurred on the property? ……. ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **N/A**

Has there been any flood insurance claims filed for a structure on the property? ……... ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: **N/A**

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? …… ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: **N/A**

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? …….. ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

N/A

Relevant Panel Number: **N/A** Year: **N/A** (Attach a copy)

Comments: **None**

Source of Section VI information: **Seller, Builder**

Docusign Envelope ID: 69076672-1C74-841A-8168-328A41FA9AF8

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **N/A**

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **N/A**

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: **2 Propane- Sail Energy 207-225-3000**

Year Principal Structure Built: **2026** What year did Seller acquire property? **2026**

Roof: Year Shingles/Other Installed: **2025**

Water, moisture or leakage: **None. New Construction**

Comments: **Home was completed July 2026**

Foundation/Basement:

Is there a Sump Pump? ..... ☐ Yes ☒ No ☐ Unknown

Water, moisture or leakage since you owned the property: ..... ☐ Yes ☒ No ☐ Unknown

Prior water, moisture or leakage? ..... ☐ Yes ☒ No ☐ Unknown

Comments: **New Construction**

Mold: Has the property ever been tested for mold? ..... ☐ Yes ☒ No ☐ Unknown

If Yes, are test results available? ..... ☐ Yes ☒ No

Comments: **None**

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: **N/A** ☐ Unknown

Comments: **None**

Has all or a portion of the property been surveyed? ..... ☒ Yes ☐ No ☐ Unknown

If Yes, is the survey available? ..... ☒ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ..... ☐ Yes ☒ No ☐ Unknown

Modular ..... ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure ..... ☐ Yes ☒ No ☐ Unknown

Comments: **New Construction**

Produced with Lone Wolf Transactions (zipForm Edition) 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Docusign Envelope ID: 69076672-1C74-841A-8168-328A41FA9AF8

PROPERTY LOCATED AT: **78 Deer Creek Crossing, Durham, ME 04222**

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: **N/A**

Comments: **New Construction**

Source of Section VII information: **Seller, Builder**

SECTION VIII - ADDITIONAL INFORMATION

The home was completed in July 2026. Note that the land, bar upgrade, and three-car garage were added to the original home purchase price. See the attached upgrade list for details.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ..... [X] Yes [ ] No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Signed by: Shawn Snedden 9/3/2026
EA952F5...8CF54E9...

SELLER DATE SELLER DATE

SELLER DATE SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE BUYER DATE

BUYER DATE BUYER DATE

REALTOR®
Maine Association of REALTORS®/Copyright © 2026.
All Rights Reserved. Revised October 2025.
EQUAL HOUSING OPPORTUNITY
Produced with Lone Wolf Transactions (zipForm Edition) 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com