Docusign Envelope ID: 4D07D327-15A6-8067-80E6-01041C7CE2A1

PROPERTY LOCATED AT: **2 Baldwin Street, Augusta, ME 04330**

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: [X] Public [ ] Private [ ] Seasonal _____ [ ] Unknown
[ ] Drilled [ ] Dug [ ] Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): ..... [X] N/A [ ] Yes [ ] No [ ] Unknown
Quantity: ..... [ ] Yes [X] No [ ] Unknown
Quality: ..... [ ] Yes [X] No [ ] Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ..... [ ] Yes [X] No

~~If Yes, Date of most recent test: _____ Are test results available? .. [ ] Yes [ ] No~~

To your knowledge, have any test results ever:

a) Been reported as unsatisfactory or satisfactory with notation?..... [ ] Yes [X] No
b) Detected perfluoroalkyl and polyfluoroalkyl (PFA) substances? [ ] Yes [X] No

~~If Yes to (a) and/or (b) above, are test results available? ..... [ ] Yes [ ] No~~

~~What steps were taken to remedy the problem?~~ _____

~~IF PRIVATE: (Strike Section if Not Applicable):~~

~~INSTALLATION: Location:~~ _____
~~Installed by:~~ _____
~~Date of Installation:~~ _____

~~USE:~~ Number of persons currently using system: _____
~~Does system supply water for more than one household? [ ] Yes [ ] No [ ] Unknown~~

Comments: **Water testing completed by Greater Augusta Utility District - results available from them=**

Source of Section I information: **Seller**

Laflin & Wolfington Realty Inc, 704 Maine Avenue Famingdale ME 04344 Phone: 2076501571 Fax: 2 Baldwin St, Augusta
Heather Perrault
Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Docusign Envelope ID: 4D07D327-15A6-8067-80E6-01041C7CE2A1

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: [X] Public [ ] Private [ ] Quasi-Public _____ [ ] Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected?..... [ ] Yes [X] No

~~If Yes, what results:~~ _____

Have you experienced any problems such as line or other malfunctions? ..... [ ] Yes [X] No

~~What steps were taken to remedy the problem?~~ _____

~~IF PRIVATE (Strike Section if Not Applicable):~~

~~Tank: [ ] Septic Tank [ ] Holding Tank [ ] Cesspool [ ] Other:~~ _____

~~[ ] Overboard Discharge (38 MRS Section 413(3) and (3-A))~~

~~Tank Size: [ ] 500 Gallon [ ] 1000 Gallon [ ] Unknown [ ] Other:~~ _____

~~Tank Type: [ ] Concrete [ ] Metal [ ] Unknown [ ] Other:~~ _____

~~Location:~~ _____ ~~OR [ ] Unknown~~

~~Date installed:~~ _____ ~~Date last pumped:~~ _____ ~~Name of pumping company:~~ _____

~~Have you experienced any malfunctions? ..... [ ] Yes [ ] No~~

~~If Yes, give the date and describe the problem:~~ _____

_____

~~Date of last servicing of tank:~~ _____ ~~Name of company servicing tank:~~ _____

~~Leach Field: ..... [ ] Yes [ ] No [ ] Unknown~~

~~If Yes, Location:~~ _____

~~Date of installation of leach field:~~ _____ ~~Installed by:~~ _____

~~Date of last servicing of leach field:~~ _____ ~~Company servicing leach field:~~ _____

~~Have you experienced any malfunctions? ..... [ ] Yes [ ] No~~

~~If Yes, give the date and describe the problem and what steps were taken to remedy:~~ _____

_____

~~Do you have records of the design indicating the # of bedrooms the system was designed for? [ ] Yes [ ] No~~

~~If Yes, are they available? ..... [ ] Yes [ ] No~~

~~Is System located in a Shoreland Zone? ..... [ ] Yes [ ] No [ ] Unknown~~

Comments: **Previous disclosure notes replacement of entire sewer line from house to public connection**

Source of Section II information: **Seller, Previous Disclosure**

Docusign Envelope ID: 4D07D327-15A6-8067-80E6-01041C7CE2A1

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	**HWBB**			
Age of system(s) or source(s)	**+/- 2015**			
TYPE(S) of Fuel	**Natural Gas (Summit)**			
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	**$2,138 for '25/ '26 heating season**			
Name of company that services system(s) or source(s)	**Doug Barker**			
Date of most recent service call	**Summer 2026**			
Malfunctions per system(s) or source(s) within past 2 years	**Not enough hot water**			
Other pertinent information	**Expansion tank replaced Filters, o-ring, cleaning**			

Are there fuel supply lines? ..... [X] Yes [ ] No [ ] Unknown

Are any buried? ..... [X] Yes [ ] No [ ] Unknown

Are all sleeved? ..... [X] Yes [ ] No [ ] Unknown

Chimney(s): ..... [ ] Yes [X] No

~~If Yes, are they lined:~~ ..... ~~[ ] Yes [ ] No [ ] Unknown~~

Is more than one heat source vented through one flue? ..... [ ] Yes [X] No [ ] Unknown

~~Had a chimney fire:~~ ..... ~~[ ] Yes [ ] No [ ] Unknown~~

~~Has chimney(s) been inspected?~~ ..... ~~[ ] Yes [ ] No [ ] Unknown~~

~~If Yes, date~~: _____

~~Date chimney(s) last cleaned:~~ _____

Direct and/or Power Vent(s): ..... [X] Yes [ ] No [ ] Unknown

Has vent(s) been inspected? ..... [X] Yes [ ] No [ ] Unknown

If Yes, date: **Summer 2026**

Comments: **Motherboard for boiler replaced +/- 2023**

Source of Section III information: **Seller**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ..... [ ] Yes [ ] No [X] Unknown

~~If Yes, are tanks in current use?~~ ..... ~~[ ] Yes [ ] No [ ] Unknown~~

~~If no longer in use, how long have they been out of service?~~ _____

~~If tanks are no longer in use, have tanks been abandoned according to DEP?~~ ~~[ ] Yes [ ] No [ ] Unknown~~

~~Are tanks registered with DEP?~~ ..... ~~[ ] Yes [ ] No [ ] Unknown~~

~~Age of tank(s):~~ _____ ~~Size of tank(s):~~ _____

~~Location:~~ _____

Docusign Envelope ID: 4D07D327-15A6-8067-80E6-01041C7CE2A1

~~What materials are, or were, stored in the tank(s)?~~ _____

~~Have you experienced any problems such as leakage:~~ ..... ☐ Yes ☐ No ☐ Unknown

Comments: **No known underground storage tanks on site**

Source of information: **Seller**

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work?	☐ Yes	☒ No	☐ Unknown
In the ceilings?	☐ Yes	☒ No	☐ Unknown
In the siding?	☐ Yes	☒ No	☐ Unknown
In the roofing shingles?	☐ Yes	☒ No	☐ Unknown
In flooring tiles?	☐ Yes	☒ No	☐ Unknown
Other: **Discontinued chimney in attic space has asbestos per inspection report**	☒ Yes	☐ No	☐ Unknown

Comments: **Home Inspector advises to not remove chimney in attic as it is an unused area**

Source of information: **Seller, Home Inspection**

C. RADON/AIR - Current or previously existing:

Has the property been tested? ..... ☐ Yes ☐ No ☒ Unknown

~~If Yes: Date:~~ _____ ~~By:~~ _____

~~Results:~~ _____

~~If applicable, what remedial steps were taken?~~ _____

~~Has the property been tested since remedial steps?~~ ..... ☐ Yes ☐ No ☐ Unknown

~~Are test results available?~~ ..... ☐ Yes ☐ No

Results/Comments: **No known radon air issues on site**

Source of information: **Seller**

D. RADON/WATER - Current or previously existing:

Has the property been tested? ..... ☐ Yes ☐ No ☒ Unknown

~~If Yes: Date:~~ _____ ~~By:~~ _____

~~Results:~~ _____

~~If applicable, what remedial steps were taken?~~ _____

~~Has the property been tested since remedial steps?~~ ..... ☐ Yes ☐ No ☐ Unknown

~~Are test results available?~~ ..... ☐ Yes ☐ No

Results/Comments: **No known radon water issues**

Source of information: **Seller**

E. METHAMPHETAMINE - Current or previously existing: ☐ Yes ☒ No ☐ Unknown

Comments: **No known methamphetamine on site**

Source of information: **Seller**

Docusign Envelope ID: 4D07D327-15A6-8067-80E6-01041C7CE2A1

F. LEAD-BASED PAINT/PAINT HAZARDS - *(Note: Lead-based paint is most commonly found in homes constructed prior to 1978)*

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property? ..... ☐ Yes ☐ No ☐ Unknown ☒ Unknown (but possible due to age)

~~If Yes, describe location and basis for determination:~~ _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

~~If Yes, describe:~~ _____

Are you aware of any cracking, peeling or flaking paint? ..... ☒ Yes ☐ No

Comments: **Minor around windows and on trim. Exterior gable at rear of house shows signs of wear**

Source of information: **Seller**

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL:	☐ Yes	☐ No	☒ Unknown
LAND FILL:	☐ Yes	☐ No	☒ Unknown
RADIOACTIVE MATERIAL:	☐ Yes	☐ No	☒ Unknown

Other: **No known hazardous materials on site**

Source of information: **Seller**

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ..... ☒ Yes ☐ No ☐ Unknown

If Yes, explain: **Conveyances in Deed - restrictions on commercial use and only household animals, etc.**

Source of information: **Seller, Deed**

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ..... ☒ Yes ☐ No ☐ Unknown

~~If No, who is responsible for maintenance?~~ _____

~~Road Association Name (if known):~~ _____

Source of information: **Seller**

Docusign Envelope ID: 4D07D327-15A6-8067-80E6-01041C7CE2A1

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

(1) A general and temporary condition of partial or complete inundation of normally dry areas from:(a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or

(2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ……. ☐ Yes ☒ No ☐ Unknown

~~If Yes, explain:~~ _____

Have any flood events affected a structure on the property? ……... ☐ Yes ☒ No ☐ Unknown

~~If Yes, explain:~~ _____

Has any flood-related damage to a structure occurred on the property? ……. ☐ Yes ☒ No ☐ Unknown

~~If Yes, explain~~: _____

Has there been any flood insurance claims filed for a structure on the property? ……... ☐ Yes ☒ No ☐ Unknown

~~If Yes, indicate the dates of each claim:~~ _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? …… ☐ Yes ☒ No ☐ Unknown

~~If Yes, indicate the date of each payment:~~ _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ……... ☐ Yes ☒ No ☐ Unknown

~~If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?~~

_____

Relevant Panel Number: **23011C0516D** Year: **06/16/2011** (Attach a copy)

Comments: **No flood concern**

Source of Section VI information: **Seller, FEMA**

Docusign Envelope ID: 4D07D327-15A6-8067-80E6-01041C7CE2A1

PROPERTY LOCATED AT: **2 Baldwin Street, Augusta, ME 04330**

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, solar panels, wind turbines): Type: **None**

From Whom: _____

Year Principal Structure Built: **+/- 1958** What year did Seller acquire property? **2022**

Roof: Year Shingles/Other Installed: **+/- 2021 house only - garage unsure**

Water, moisture or leakage: **Front left of garage - roof drips in heavy rains**

Comments: **House has no roof water, moisture, leakage issues**

Foundation/Basement:

Is there a Sump Pump? ..... ☒ Yes ☐ No ☐ Unknown

Water, moisture or leakage since you owned the property: ..... ☒ Yes ☐ No ☐ Unknown

Prior water, moisture or leakage? ..... ☒ Yes ☐ No ☐ Unknown

Comments: **+/- 2X yearly: minor water intrusion near basement window on Sewall St side. Only in heavy rain/spring melt**

Mold: Has the property ever been tested for mold? ..... ☐ Yes ☐ No ☒ Unknown

If Yes, are test results available? ..... ☐ Yes ☐ No

Comments: **Never standing water - never even enough to reach the sump pump**

Electrical: ☒ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ Unknown

Comments: **Main breaker panel has fuses. Actual panel updated in 2025/2026 - all circuit breakers. See section 8 for more information.**

Has all or a portion of the property been surveyed? ..... ☒ Yes ☐ No ☐ Unknown

If Yes, is the survey available? ..... ☒ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ..... ☐ Yes ☒ No ☐ Unknown

Modular ..... ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure ..... ☐ Yes ☒ No ☐ Unknown

Comments: **No known animal infestation issues**

Docusign Envelope ID: 4D07D327-15A6-8067-80E6-01041C7CE2A1

PROPERTY LOCATED AT: **2 Baldwin Street, Augusta, ME 04330**

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: **Paved driveway shows signs of age. Some older windows in need of screen repair.**

Comments: **Sellers run dehumidifier in the basement year round, also run one upstairs in the winter.**

Source of Section VII information: **Seller**

SECTION VIII - ADDITIONAL INFORMATION

UPDATES: 2024 - new windows in kitchen/bath/living room, spray foam added to basement, 16+" insulation blown in to attic space. 2025 - Siding repainted, new front door, refrigerator and oven replaced. 2026 - Updates made to electrical panel, wiring and outlets ('25/'26), bathroom completely remodeled.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ..... ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Signed by: 11/2/2026

SELLER DATE — SELLER DATE

Sarah Hudner

SELLER DATE — SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE — BUYER DATE

BUYER DATE — BUYER DATE

Maine Association of REALTORS®/Copyright © 2026.
All Rights Reserved. Revised August 2026.

REALTOR®

EQUAL HOUSING OPPORTUNITY

Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Docusign Envelope ID: 4D07D327-15A6-8067-80E6-01041C7CE2A1

LEAD PAINT DISCLOSURE/ADDENDUM

AGREEMENT BETWEEN **Sarah Hudner**

(hereinafter "Seller")

AND

(hereinafter "Buyer")

FOR PROPERTY LOCATED AT **2 Baldwin Street, Augusta, ME 04330**

Said contract is further subject to the following terms:

Lead Warning Statement

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

Seller's Disclosure

(a) Presence of lead-based paint and/or lead-based paint hazards **(check one below):**

____ Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).

X Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

(b) Records and reports available to the Seller **(check one below)**:

____ Seller has provided the Buyer with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).

X Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

Buyer's Acknowledgment

(c) Buyer has received copies of all information listed above.

(d) Buyer has received the pamphlet Protect Your Family from Lead in Your Home.

(e) Buyer has **(check one below)**:

____ Received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; or

____ Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

Agent's Acknowledgment

(f) Agent has informed the Seller of the Seller's obligations under 42 U.S.C. 4852(d) and is aware of his/her responsibility to ensure compliance.

Certification of Accuracy

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

		Signed by: 43FC371F937S4F3...	11/2/2026
Buyer	Date	Seller **Sarah Hudner**	Date
Buyer	Date	Seller	Date
Buyer	Date	Seller	Date
Buyer	Date	Seller	Date
		DocuSigned by: C962F374EB...	11/2/2026
Agent	Date	**Heather Perrault**	Date

Maine Association of REALTORS®/Copyright © 2026.
All Rights Reserved. Revised 2023.

REALTOR®

EQUAL HOUSING OPPORTUNITY