Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

LEAD PAINT DISCLOSURE/ADDENDUM

AGREEMENT BETWEEN **Gloria L. Morrill, Timothy Morrill**
(hereinafter "Seller")
AND
(hereinafter "Buyer")
FOR PROPERTY LOCATED AT **2496 North Belfast Avenue, Augusta, ME 04330**

Said contract is further subject to the following terms:

Lead Warning Statement

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

Seller's Disclosure

(a) Presence of lead-based paint and/or lead-based paint hazards **(check one below):**

____ Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).

X Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

(b) Records and reports available to the Seller **(check one below)**:

____ Seller has provided the Buyer with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).

X Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

Buyer's Acknowledgment

(c) Buyer has received copies of all information listed above.
(d) Buyer has received the pamphlet Protect Your Family from Lead in Your Home.
(e) Buyer has **(check one below)**:

____ Received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; or

____ Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

Agent's Acknowledgment

(f) Agent has informed the Seller of the Seller's obligations under 42 U.S.C. 4852(d) and is aware of his/her responsibility to ensure compliance.

Certification of Accuracy

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

Buyer	Date	Seller Gloria L. Morrill (AuthentiSIGN: Gloria L. Morrill)	Date 10/01/2026
Buyer	Date	Seller Timothy Morrill (AuthentiSIGN: Timothy Morrill)	Date 10/01/2026
Buyer	Date	Seller	Date
Buyer	Date	Seller	Date
Agent	Date	Agent Rita Gower (AuthentiSIGN: Rita Gower)	Date 10/01/26

Maine Association of REALTORS®/Copyright © 2026.
All Rights Reserved. Revised 2023.
REALTOR®
EQUAL HOUSING OPPORTUNITY

Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

Fact Sheet: Arsenic Treated Wood

Department of Health and Human Services
11 State House Station
Augusta, ME 04333

Maine CDC
Environmental and Occupational Health Program
Toll Free in Maine: 866-292-3474
Fax: 207-287-3981
TTY: 207-287-8066
Email: ehu@maine.gov

IF YOU WORK WITH CCA WOOD

- **NEVER** burn CCA wood.
- Wear gloves when handling CCA wood
- Wear a dust mask when sanding or cutting CCA wood
- Don't work with CCA wood in an enclosed area (like a garage)

Apply a coating to seal the wood every 1-2 years

TO LEARN MORE

Eric Frohmberg
Environmental and Occupational Health Program
Maine CDC
Toll-free in Maine 866-292-3474
TTY: 207-287-8066
www.maine.gov/dhhs/eohp

Does Your New Home Have Arsenic (CCA) Treated Wood?

About half of all Maine homes have a deck, or playground or some other structure that is made of wood treated with arsenic. This wood is called "CCA pressure-treated wood" or just "pressure-treated" wood. The wood was treated with arsenic to protect against rot and insects.

Too much arsenic can cause cancer. So it is good to prevent arsenic getting into your body when you can. When you touch wood treated with arsenic, you can get arsenic on your hands. The arsenic on your hands can get into your mouth if you are not careful about washing before eating. Young children are most at risk because they are more likely to put their hands in their mouths. The good news is that there are simple things you can do to protect yourself and your family from arsenic treated wood. This fact sheet will tell you how.



Children touching unsealed treated wood, and then putting their hands in their mouths is the biggest concern.

First: Does your house have arsenic treated (CCA) wood?

When arsenic treated wood is new, it tends to have a greenish tint. When CCA wood is older, it is harder to tell. Ask your realtor if the seller knows whether CCA wood was used. You can also test the wood to find out if it contains arsenic. Call us to find out how.

Second: If so, reduce contact with the arsenic.

You can lower the amount of arsenic on the surface of the wood by applying a coating on the wood every 1-2 years. Oil-based sealants, varnishes, or polyurethane work best for sealing arsenic in the wood. Be sure to wash your children's hands when they finish playing on or near CCA wood.

Third: If you have any questions, call us toll-free in Maine: 866-292-3474

Common Questions

What is CCA wood?

CCA wood is made by dipping the wood in a mixture of chemicals. These chemicals include chromium, copper, and arsenic. This protects the wood against insects and rot. This wood is known as CCA wood or "pressure treated" wood. Most pressure treated wood in the U.S. is CCA wood. After December 31, 2003, no more CCA wood will be made for use around homes. CCA wood may still be sold for home use until April 1, 2004 in the state of Maine.

What is Arsenic?

Arsenic is found in soil and rocks. Most people get a little arsenic every day from the food they eat. Also, some people have arsenic in their private wells, which is why it is important that anyone with a well have it tested for arsenic. People who are exposed to too much arsenic over many years are more likely to get cancer.

Rizzo Mattson, REALTORS®, 219 Capitol Street Augusta ME 04330 (207) 592-9394 Timothy & Gloria
Rita Gower

Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

Have you tested your well water for arsenic?



Your water looks, smells and tastes fine. So why do you need to test it?

It is hard to believe that water that looks, smells and tastes fine may not be safe to drink. But the truth is that 1 in 10 wells in Maine has water that is high in arsenic. There are wells high in arsenic in all parts of Maine.

Protect your family. Test your well for arsenic every 3 to 5 years.

How to Test Your Well Water

1. Call a lab.

- Call a certified lab and ask for an arsenic test kit for your well water. You can find a lab at this website: wellwater.maine.gov. Or call the Maine Lab Certification Officer at 207-287-1929.
- If you have never tested your well water for bacteria, nitrites and nitrates, or other chemicals like radon, uranium and flouride, ask your lab for a test kit for all of these.

2. Do the test.

- Your test kit will arrive in the mail. It will have empty bottles, directions and forms to fill out.
- Follow the directions and mail the bottles back to the lab with the forms.

3. Get your results.

- Your test results will come to you in the mail.
- If you have too much arsenic in your water, or if you are not sure you understand your test results, call 866-292-3474 (toll-free in Maine) or 207-287-4311 to speak to an expert.

Why Arsenic is Bad

People who drink water with too much arsenic for many years are more likely to get cancer. Arsenic can cause skin, bladder and lung cancers.

It may cause low birthweight and affect brain development in babies if pregnant women drink water with too much arsenic in it. Arsenic can also affect brain development in young children. Other problems from drinking water with very high arsenic levels include: stomach pain, nausea, diarrhea, numbness or tingling in the hands and feet and changes in skin.

Your chance of having any of these health problems depends on:

- how much arsenic is in your water;
- how much water you drink;
- how long you have been drinking the water.

Solving Arsenic Problems

There are actions you can take to protect your family if your water has too much arsenic. First, you can switch to bottled water for drinking and making drinks. This will allow you time to decide if you want to install a water treatment system.

Call us at 866-292-3474 (toll-free in Maine) or 207-287-4311 if you have high arsenic. We can help you decide how to solve the problem.

Protect your family. Test your well.

- For more information: wellwater.maine.gov
- Call for advice: **866-292-3474 • TTY: Call Maine Relay 711**

March 2020

Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

PROPERTY LOCATED AT: **2496 North Belfast Avenue, Augusta, ME 04330**

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Seasonal _____ ☐ Unknown
☐ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): ..... ☐ N/A ☐ Yes ☒ No ☐ Unknown
Quantity: ..... ☐ Yes ☒ No ☐ Unknown
Quality: ..... ☒ Yes ☐ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ..... ☒ Yes ☐ No

If Yes, Date of most recent test: **Spring 2026** Are test results available? .. ☐ Yes ☒ No

To your knowledge, have any test results ever:

a) Been reported as unsatisfactory or satisfactory with notation?..... ☒ Yes ☐ No
b) Detected perfluoroalkyl and polyfluoroalkyl (PFA) substances? ☐ Yes ☒ No

If Yes to (a) and/or (b) above, are test results available? ..... ☐ Yes ☐ No

What steps were taken to remedy the problem? **Put system on for hard water, maganese**

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: **Left of driveway behind tree**
Installed by: **Bowie bros.**
Date of Installation: **unknown**

USE: Number of persons currently using system: **2**
Does system supply water for more than one household? ☒ Yes ☐ No ☐ Unknown

Comments: **1 home with 2 units**

Source of Section I information: **Seller**

Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

PROPERTY LOCATED AT: **2496 North Belfast Avenue, Augusta, ME 04330**

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Quasi-Public _____ ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected? ..... ☐ Yes ☐ No

If Yes, what results: _____

Have you experienced any problems such as line or other malfunctions? ..... ☐ Yes ☐ No

What steps were taken to remedy the problem? _____

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____

☐ Overboard Discharge (38 MRS Section 413(3) and (3-A))

Tank Size: ☐ 500 Gallon ☒ 1000 Gallon ☐ Unknown ☐ Other: _____

Tank Type: ☒ Concrete ☐ Metal ☐ Unknown ☐ Other: _____

Location: **South side back lawn** OR ☐ Unknown

Date installed: **unk** Date last pumped: **2024** Name of pumping company: **unk tenant hired**

Have you experienced any malfunctions? ..... ☒ Yes ☐ No

If Yes, give the date and describe the problem: **2024 Replaced pump to septic**

Date of last servicing of tank: **none** Name of company servicing tank: **none**

Leach Field: ..... ☒ Yes ☐ No ☐ Unknown

If Yes, Location: **Left back of home on the hill**

Date of installation of leach field: **unk** Installed by: **unk**

Date of last servicing of leach field: **none** Company servicing leach field: **none**

Have you experienced any malfunctions? ..... ☐ Yes ☒ No

If Yes, give the date and describe the problem and what steps were taken to remedy: _____

Do you have records of the design indicating the # of bedrooms the system was designed for? ☐ Yes ☒ No

If Yes, are they available? ..... ☐ Yes ☐ No

Is System located in a Shoreland Zone? ..... ☐ Yes ☒ No ☐ Unknown

Comments: _____

Source of Section II information: **Owners**

Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

PROPERTY LOCATED AT: **2496 North Belfast Avenue, Augusta, ME 04330**

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	**Heat Pump (Unit #1)**		**Heat Pump (Unit #2)**	**Heat Pump (Unit #2)**
Age of system(s) or source(s)	**7years**		**7 years**	
TYPE(S) of Fuel	**Electric**		**Electric**	
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	**Included in monthly Electric bill**		**Included in monthly electric bill**	
Name of company that services system(s) or source(s)	**None**		**None**	
Date of most recent service call	**None**		**None**	
Malfunctions per system(s) or source(s) within past 2 years	**None**		**None**	
Other pertinent information	**owner cleans**		**owner cleans**	

Are there fuel supply lines? ..... ☐ Yes ☒ No ☐ Unknown

Are any buried? ..... ☐ Yes ☐ No ☐ Unknown

Are all sleeved? ..... ☐ Yes ☐ No ☐ Unknown

Chimney(s): ..... ☐ Yes ☒ No

If Yes, are they lined: ..... ☐ Yes ☐ No ☐ Unknown

Is more than one heat source vented through one flue? ..... ☐ Yes ☐ No ☐ Unknown

Had a chimney fire: ..... ☐ Yes ☐ No ☐ Unknown

Has chimney(s) been inspected? ..... ☐ Yes ☐ No ☐ Unknown

If Yes, date: _____

Date chimney(s) last cleaned: _____

Direct and/or Power Vent(s): ..... ☐ Yes ☒ No ☐ Unknown

Has vent(s) been inspected? ..... ☐ Yes ☐ No ☐ Unknown

If Yes, date: _____

Comments: **Class a stove pipe double wall.**

Source of Section III information: **Seller**

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ..... ☐ Yes ☒ No ☐ Unknown

If Yes, are tanks in current use? ..... ☐ Yes ☐ No ☐ Unknown

If no longer in use, how long have they been out of service? _____

If tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☐ No ☐ Unknown

Are tanks registered with DEP? ☐ Yes ☐ No ☐ Unknown

Age of tank(s): _____ Size of tank(s): _____

Location: _____

Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

~~What materials are, or were, stored in the tank(s)?~~ _____

~~Have you experienced any problems such as leakage? ..... ☐ Yes ☐ No ☐ Unknown~~

Comments: **Seller is not aware of any underground storage tanks**

Source of information: **Seller**

B. ASBESTOS - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work?	☐ Yes	☐ No	☒ Unknown
In the ceilings?	☐ Yes	☐ No	☒ Unknown
In the siding?	☐ Yes	☐ No	☒ Unknown
In the roofing shingles?	☐ Yes	☐ No	☒ Unknown
In flooring tiles?	☐ Yes	☐ No	☒ Unknown
Other: **None known**	☐ Yes	☐ No	☒ Unknown

Comments: **Seller is not aware of any asbestos**

Source of information: **Seller**

C. RADON/AIR - Current or previously existing:

Has the property been tested? ..... ☐ Yes ☒ No ☐ Unknown

If Yes: Date: _____ By: _____

Results: _____

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ..... ☐ Yes ☐ No ☐ Unknown

Are test results available? ..... ☐ Yes ☐ No

Results/Comments: _____

Source of information: _____

D. RADON/WATER - Current or previously existing:

Has the property been tested? ..... ☐ Yes ☒ No ☐ Unknown

If Yes: Date: _____ By: _____

Results: _____

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ..... ☐ Yes ☐ No ☐ Unknown

Are test results available? ..... ☐ Yes ☐ No

Results/Comments: _____

Source of information: _____

E. METHAMPHETAMINE - Current or previously existing: ☐ Yes ☒ No ☐ Unknown

Comments: **Seller has no knowledge of methamphetamine use**

Source of information: **Seller**

Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

F. LEAD-BASED PAINT/PAINT HAZARDS - *(Note: Lead-based paint is most commonly found in homes constructed prior to 1978)*

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property? ..... ☐ Yes ☒ No ☐ Unknown ☐ Unknown (but possible due to age)

If Yes, describe location and basis for determination: _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: **N/A**

Are you aware of any cracking, peeling or flaking paint? ..... ☐ Yes ☒ No

Comments: _____

Source of information: **Seller & Visual**

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL:	☐ Yes	☐ No	☒ Unknown
LAND FILL:	☐ Yes	☐ No	☒ Unknown
RADIOACTIVE MATERIAL:	☐ Yes	☐ No	☒ Unknown

Other: **Seller is not aware of any hazardous materials in or on the property**

Source of information: **Seller**

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **None noted in deed**

Source of information: **Deed & Seller**

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ..... ☒ Yes ☐ No ☐ Unknown

If No, who is responsible for maintenance? **n/a**

Road Association Name (if known): **n/a**

Source of information: **Seller**

Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

(1) A general and temporary condition of partial or complete inundation of normally dry areas from:(a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or

(2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines “area of special flood hazard” as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ……. ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **n/a**

Have any flood events affected a structure on the property? ……... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **n/a**

Has any flood-related damage to a structure occurred on the property? ……. ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **n/a**

Has there been any flood insurance claims filed for a structure on the property? ……... ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: **n/a**

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? …… ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: **n/a**

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ……... ☒ Yes ☐ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: **23011C0529D** Year: **6/16/2011** (Attach a copy)

Comments: **See FEMA MAP**

Source of Section VI information: **FEMA MAP & Seller**

Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

PROPERTY LOCATED AT: **2496 North Belfast Avenue, Augusta, ME 04330**

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **n/a**

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: **n/a**

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, solar panels, wind turbines): Type: **none**

From Whom: **n/a**

Year Principal Structure Built: **1965 per tax records** What year did Seller acquire property? **1989**

Roof: Year Shingles/Other Installed: **Metal roof /addition painted last year, installed 1984+-. asphalt 25 year shingles, installed 2018**

Water, moisture or leakage: **no**

Comments:

Foundation/Basement:

Is there a Sump Pump? ..... ☐ Yes ☐ No ☐ Unknown

Water, moisture or leakage since you owned the property: ..... ☐ Yes ☐ No ☐ Unknown

Prior water, moisture or leakage? ..... ☐ Yes ☐ No ☐ Unknown

Comments: **Slab**

Mold: Has the property ever been tested for mold? ..... ☐ Yes ☒ No ☐ Unknown

If Yes, are test results available? ..... ☐ Yes ☐ No

Comments: **Seller has not tested for mold**

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: ☐ Unknown

Comments: **2 separate electric meters**

Has all or a portion of the property been surveyed? ..... ☐ Yes ☐ No ☒ Unknown

If Yes, is the survey available? ..... ☐ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ..... ☐ Yes ☒ No ☐ Unknown

Modular ..... ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure ..... ☐ Yes ☒ No ☐ Unknown

Comments: **-----**

Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

PROPERTY LOCATED AT: **2496 North Belfast Avenue, Augusta, ME 04330**

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: **None known**

Comments:

Source of Section VII information: **Seller**

SECTION VIII - ADDITIONAL INFORMATION

Inground filled in 15+- years ago.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ..... ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Authentisign Gloria L. Morrill	10/01/2026	Authentisign Timothy Morrill	10/01/2026
SELLER	DATE	SELLER	DATE
Gloria L. Morrill		**Timothy Morrill**	
SELLER	DATE	SELLER	DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER	DATE	BUYER	DATE
BUYER	DATE	BUYER	DATE

Maine Association of REALTORS®/Copyright © 2026.
All Rights Reserved. Revised August 2026.

REALTOR®

EQUAL HOUSING OPPORTUNITY

Produced with Lone Wolf Transact 717 N Harwood St, Suite 2200, Dallas, TX 75201 www.lwolf.com

Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

BK3672PG 296

WARRANTY DEED
Joint Tenancy

TM GLM

Know all Men by these Presents,

That TRI-CITY ROOFING, A Maine partnership, consisting of Timothy Morrill, Eric Morrill and Leigh Morrill, being all of the partners of TRI-CITY ROOFING
of Augusta, Kennebec County, Maine 030095
in consideration of one dollar and other valuable consideration

paid by Timothy I. Morrill and Gloria L. Morrill

NO TRANSFER TAX PAID

whose mailing address is RR7 Box 220
Augusta, Maine 04330

the receipt whereof it does hereby acknowledge, do hereby give, grant, bargain, sell and convey unto the said Timothy I. Morrill and Gloria L. Morrill

as joint tenants and not as tenants in common, their heirs and assigns forever,

a certain lot or parcel of land with the buildings thereon, situated in Augusta, in the County of Kennebec and State of Maine bounded and described as follows, to wit:

Beginning at an iron pin on the southerly edge of North Belfast Avenue in the City of Augusta; said pin being 12.6' (twelve and six tenths feet more or less) easterly of a concrete right of way marker. Thence S1°27' W 142.6' (one hundred forty-two and six tenths feet more or less) to an iron pin. Thence S 70° 38' E, 108.9' (one hundred eight and nine tenths feet more or less) in the general line of an old fence. Thence, continuing along line of said fence S 60° 18' E, 309.3' (three hundred and nine and three tenths feet more or less). Thence, S 57° 21'E 147.9' (one hundred forty seven and three tenths feet more or less) along said fence. Thence, along same fence S 63°44' E 217.7' (two hundred seventeen and seven tenths feet more or less) to an iron pin at a corner of another fence. Thence, N 11° E 91.4' (ninety-one and four tenths feet more or less) along the last mentioned fence. Thence, N 9° 45' E 256.9' (two hundred fifty-six and nine tenths feet more or less) along said fence. Thence, N 11° 49' E 136.7' (one hundred thirty-six and seven tenths feet more or less) to an iron pin on the southerly edge of North Belfast Avenue. Thence, northwesterly by the southerly edge of North Belfast Avenue 800' (eight hundred feet more or less) to the point of beginning.

Meaning and intending to convey the premises conveyed to grantor herein by deed of Depositors Trust Company recorded in the Kennebec County Registry of Deeds.

ALSO, another certain lot or parcel of land with the buildings thereon, situated in Augusta in the County of Kennebec and State of Maine, bounded and described as follows:

On the Southerly side of North Belfast Avenue, so-called, beginning at a stake in the Southerly line of said North Belfast Avenue; thence Southerly at right angles with said North Belfast Avenue eighty (80) feet to a stake; thence Westerly by a line parallel with said Southerly line of said North Belfast Avenue one hundred (100) feet to a stake; thence at right angles Northerly eighty (80) feet to a stake in the Southerly line of said North Belfast Avenue; thence Easterly by the Southerly line of said North Belfast Avenue one hundred (100) feet to the point of beginning; being the same premises conveyed to Raymond H. Allen et al, in joint tenancy with right of survivorship, by deed of warranty of Donald V. Dulac et al dated September 22, 1949, recorded in Kennebec Registry of Deeds Book 888, Page 125, and the same conveyed by deed of warranty of Raymond H. Allen et al, dated August 14, 1952, recorded in said Registry, Book 926, Page 444.

Meaning and intending to convey the premises described in a deed recorded in the Kennebec County Registry of Deeds at Book 2224, Page 305.

Meaning and intending to convey the premises described in a deed recorded in the Kennebec County Registry of Deeds at Bood 3649, Page 175.

Grantee

FOR ORIGINAL AT TIME OF RECORDING

Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

To have and to hold the aforegranted and bargained premises, with all the privileges and appurtenances thereof, to the said Timothy I. Morrill and Gloria L. Morrill

as joint tenants and not as tenants in common, their heirs and assigns, to their own use and behoof forever.

And the said Grantor do **covenant** with the said Grantees, their heirs and assigns, that lawfully seized in fee of the premises, that they are free of all encumbrances

;

that they have good right to sell and convey the same to the said Grantees to hold as aforesaid; and that they and their heirs shall and will **warrant and defend** the same to the said Grantees, their heirs and assigns forever, against the lawful claims and demands of all persons.

In Witness Whereof, the said TRI-CITY ROOFING

Meaning and intending to release any rights grantor has by virtue of an agreement between the partners regarding the subject property dated of even date herewith.

and

~~husband/wife~~

We, Timothy Morrill, Eric Morrill and Leigh Morrill, being all of the partners or TRI-CITY ROOFING

joining in this deed as Grantor , and relinquishing and conveying all rights by descent and all other rights to the above described premises, have hereunto set hand and seal this 28TH day of the month of December , A.D. 1989 .

Signed, Sealed and Delivered in presence of

By. TRI-CITY. ROOFING

Eric Morrill

Timothy Morrill

Leigh Morrill

State of Maine, County of Kennebec **ss.** Dec 28 , 1989 .

Then personally appeared the above named Timothy Morrill, being a partner of TRI-CITY ROOFING

and acknowledged the foregoing instrument to be his free act and deed.

SEAL

Before me,

Notary Public ~~Attorney at Law~~

My Comm exp 2/4/92

Printed Name, Sharon Lessard

RECEIVED KENNEBEC SS.

1989 DEC 29 AM 10:44

REGISTER OF DEEDS


AUGUSTA
LEGEND
Zoning
Cemeteries
Streams
Historical Lines
Private Roads
Wetlands
Sublots
Map Inserts
Parcels
Neighboring Map Parcels
Tie-in
Sublots Annotation
N
E
S
W
RRES
RBV
RPDS
TOLMAN POND
3
6
8
10A
11
PROPERTY MAP
CITY OF AUGUSTA
KENNEBEC COUNTY, MAINE
City of Augusta - Assessing Department
1 inch = 600 feet
July 2025
7

Authentisign ID: 2219FF29-37BD-F111-A6A9-000D3A4FF82A

National Flood Hazard Layer FIRMette

FEMA

69°43'23"W 44°20'7"N



69°42'45"W 44°19'41"N

0 250 500 1,000 1,500 2,000 Feet

1:6,000

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS
- Without Base Flood Elevation (BFE) *Zone A, V, A99*
- With BFE or Depth *Zone AE, AO, AH, VE, AR*
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD
- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile *Zone X*
- Future Conditions 1% Annual Chance Flood Hazard *Zone X*
- Area with Reduced Flood Risk due to Levee. See Notes. *Zone X*
- Area with Flood Risk due to Levee *Zone D*

OTHER AREAS
- NO SCREEN Area of Minimal Flood Hazard *Zone X*
- Effective LOMRs
- Area of Undetermined Flood Hazard *Zone D*

GENERAL STRUCTURES
- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall

OTHER FEATURES
- 20.2 / 17.5 Cross Sections with 1% Annual Chance / Water Surface Elevation
- Coastal Transect
- Base Flood Elevation Line (BFE)
- Limit of Study
- Jurisdiction Boundary
- Coastal Transect Baseline
- Profile Baseline
- Hydrographic Feature

MAP PANELS
- Digital Data Available
- No Digital Data Available
- Unmapped

N

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 9/29/2026 at 10:54 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.