

PROPERTY LOCATED AT: 17 Wadlin Road , Biddeford, ME 04072

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Seasonal _____ ☐ Unknown
☒ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): ☐ N/A ☐ Yes ☒ No ☐ Unknown

Quantity: ☐ Yes ☒ No ☐ Unknown

Quality: ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ☐ Yes ☐ No

If Yes, Date of most recent test: _____ Are test results available? .. ☐ Yes ☐ No

To your knowledge, have any test results ever:

a) Been reported as unsatisfactory or satisfactory with notation?..... ☐ Yes ☐ No

b) Detected perfluoroalkyl and polyfluoroalkyl (PFA) substances? ☐ Yes ☐ No

If Yes to (a) and/or (b) above, are test results available? ☐ Yes ☐ No

What steps were taken to remedy the problem? _____

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: Left side of drive in flower bed

Installed by: Marquis Well & Pump | 160' depth, 9 gallons per min, 20' casing

Date of Installation: January 2020

USE: Number of persons currently using system: 2

Does system supply water for more than one household? ☐ Yes ☒ No ☐ Unknown


Comments: _____

Source of Section I information: Prior Disclosure/Prior Owner

Buyer Initials _____

Page 1 of 8

Seller Initials





PROPERTY LOCATED AT: 17 Wadlin Road , Biddeford, ME 04072

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Quasi-Public _____ ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected? ☐ Yes ☐ No

If Yes, what results: _____

Have you experienced any problems such as line or other malfunctions? ☐ Yes ☐ No

What steps were taken to remedy the problem? _____

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____

☐ Overboard Discharge (38 MRS Section 413(3) and (3-A))

Tank Size: ☐ 500 Gallon ☐ 1000 Gallon ☐ Unknown ☒ Other: 1500

Tank Type: ☒ Concrete ☐ Metal ☐ Unknown ☐ Other: _____

Location: Front Yard OR ☐ Unknown

Date installed: 2020 Date last pumped: April 2024 Name of pumping company: Quick Drain

Have you experienced any malfunctions? ☐ Yes ☒ No

If Yes, give the date and describe the problem: N/A

Date of last servicing of tank: N/A Name of company servicing tank: N/A

Leach Field: ☒ Yes ☐ No ☐ Unknown

If Yes, Location: Front Yard Right Side

Date of installation of leach field: 2020 Installed by: Guy Labbe Excavation

Date of last servicing of leach field: N/A Company servicing leach field: N/A

Have you experienced any malfunctions? ☐ Yes ☒ No

If Yes, give the date and describe the problem and what steps were taken to remedy: _____

Do you have records of the design indicating the # of bedrooms the system was designed for? ☒ Yes ☐ No

If Yes, are they available? ☒ Yes ☐ No

Is System located in a Shoreland Zone? ☐ Yes ☒ No ☐ Unknown

Comments: April 2024 the D-Box needed to be realigned, repair was completed by Quick Drain

Source of Section II information: Prior Disclosure/Prior Owner

Buyer Initials _____

Page 2 of 8

Seller Initials





PROPERTY LOCATED AT: 17 Wadlin Road , Biddeford, ME 04072**SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)**

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	Radiant Floor FHW	Electric Baseboard	Woodstove	FHA Baseboard
Age of system(s) or source(s)	6+/-	6+/-	6+/-	6+/-
TYPE(S) of Fuel	Propane	Electric	Wood	Propane
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	863 gallons	Included with CMP	limited use	Included with Radiant
Name of company that services system(s) or source(s)	Superior Propane	N/A	N/A	Superior Propane
Date of most recent service call	5/31/2025	N/A	N/A	N/A
Malfunctions per system(s) or source(s) within past 2 years	N/A	N/A	N/A	N/A
Other pertinent information	Main House & Office	Primary & Spare Bedroom	N/A	Apartment

Are there fuel supply lines? ☒ Yes ☐ No ☐ UnknownAre any buried? ☐ Yes ☒ No ☐ UnknownAre all sleeved? ☒ Yes ☐ No ☐ UnknownChimney(s): ☒ Yes ☐ NoIf Yes, are they lined: ☒ Yes ☐ No ☐ UnknownIs more than one heat source vented through one flue? ☐ Yes ☒ No ☐ UnknownHad a chimney fire: ☐ Yes ☒ No ☐ UnknownHas chimney(s) been inspected? ☐ Yes ☒ No ☐ UnknownIf Yes, date: When builtDate chimney(s) last cleaned: N/ADirect and/or Power Vent(s): ☒ Yes ☐ No ☐ UnknownHas vent(s) been inspected? ☒ Yes ☐ No ☐ UnknownIf Yes, date: When builtComments: Metal Zero Clearance Chimney for Woodstove / Two Wall Mounted Viessman Boilers w/ Rinnai Hot waterSource of Section III information: Prior Disclosure/Prior Owner**SECTION IV - HAZARDOUS MATERIAL**

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ☐ Yes ☒ No ☐ UnknownIf Yes, are tanks in current use? ☐ Yes ☒ No ☐ UnknownIf no longer in use, how long have they been out of service? N/AIf tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☒ No ☐ UnknownAre tanks registered with DEP? ☐ Yes ☒ No ☐ UnknownAge of tank(s): N/A Size of tank(s): N/ALocation: N/A

Buyer Initials _____

Page 3 of 8

Seller Initials



PROPERTY LOCATED AT: 17 Wadlin Road , Biddeford, ME 04072

What materials are, or were, stored in the tank(s)? _____

Have you experienced any problems such as leakage: ☐ Yes ☒ No ☐ UnknownComments: N/ASource of information: Prior Disclosure / Prior Owner**B. ASBESTOS** - Is there now or has there been asbestos:As insulation on the heating system pipes or duct work? ☐ Yes ☒ No ☐ UnknownIn the ceilings? ☐ Yes ☒ No ☐ UnknownIn the siding? ☐ Yes ☒ No ☐ UnknownIn the roofing shingles? ☐ Yes ☒ No ☐ UnknownIn flooring tiles? ☐ Yes ☒ No ☐ UnknownOther: ☐ Yes ☒ No ☐ UnknownComments: N/ASource of information: Prior Disclosure / Prior Owner**C. RADON/AIR** - Current or previously existing:Has the property been tested? ☐ Yes ☒ No ☐ UnknownIf Yes: Date: N/A By: N/AResults: N/AIf applicable, what remedial steps were taken? N/AHas the property been tested since remedial steps? ☐ Yes ☐ No ☐ UnknownAre test results available? ☐ Yes ☐ No


Results/Comments: _____

Source of information: Prior Disclosure / Prior Owner**D. RADON/WATER** - Current or previously existing:Has the property been tested? ☐ Yes ☒ No ☐ UnknownIf Yes: Date: N/A By: N/AResults: N/AIf applicable, what remedial steps were taken? N/AHas the property been tested since remedial steps? ☐ Yes ☒ No ☐ UnknownAre test results available? ☐ Yes ☒ NoResults/Comments: N/ASource of information: Prior Disclosure / Prior Owner**E. METHAMPHETAMINE** - Current or previously existing:☐ Yes ☒ No ☐ UnknownComments: N/ASource of information: Prior Disclosure / Prior Owner

Buyer Initials _____

Page 4 of 8

Seller Initials



PROPERTY LOCATED AT: 17 Wadlin Road , Biddeford, ME 04072

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
 ☐ Yes ☒ No ☐ Unknown ☐ Unknown (but possible due to age)

If Yes, describe location and basis for determination: _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: _____

Are you aware of any cracking, peeling or flaking paint? ☐ Yes ☒ No

Comments: N/A

Source of information: Prior Disclosure / Prior Owner

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: ☐ Yes ☐ No ☒ Unknown

LAND FILL: ☐ Yes ☐ No ☒ Unknown

RADIOACTIVE MATERIAL: ☐ Yes ☐ No ☒ Unknown

Other: N/A

Source of information: Prior Disclosure / Prior Owner

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: N/A

Source of information: Deed

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ Unknown

If No, who is responsible for maintenance? N/A

Road Association Name (if known): N/A

Source of information: Public Record - Wadlin Road is Managed by the City of Biddeford

Buyer Initials _____

Page 5 of 8

Seller Initials





PROPERTY LOCATED AT: 17 Wadlin Road , Biddeford, ME 04072**SECTION VI – FLOOD HAZARD**

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: _____ Year: _____ (Attach a copy)

Comments: _____

Source of Section VI information: _____

Buyer Initials _____

Page 6 of 8

Seller Initials

PROPERTY LOCATED AT: 17 Wadlin Road, Biddeford, ME 04072**SECTION VII - GENERAL INFORMATION**

Are there any tax exemptions or reductions for this property for any reason including but not limited to:

Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....

..... ☐ Yes ☒ No ☐ UnknownIf Yes, explain: N/AIs a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ UnknownIs the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ UnknownIf Yes, explain: N/AEquipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, solar panels, wind turbines): Type: Two 120 propane tankesFrom Whom: Superior PropaneYear Principal Structure Built: 2020 What year did Seller acquire property? 2025Roof: Year Shingles/Other Installed: 2020Water, moisture or leakage: NoneComments: One detached garage was built in 2023

Foundation/Basement:

Is there a Sump Pump? ☐ Yes ☒ No ☐ UnknownWater, moisture or leakage since you owned the property: ☐ Yes ☒ No ☐ UnknownPrior water, moisture or leakage? ☐ Yes ☒ No ☐ Unknown

Comments: _____

Mold: Has the property ever been tested for mold? ☐ Yes ☒ No ☐ UnknownIf Yes, are test results available? ☐ Yes ☒ No

Comments: _____

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ UnknownComments: Underground electric, two generator plugs, two electric car charging plugsHas all or a portion of the property been surveyed? ☒ Yes ☐ No ☐ UnknownIf Yes, is the survey available? ☒ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ☐ Yes ☒ No ☐ UnknownModular ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure

..... ☐ Yes ☒ No ☐ UnknownComments: N/A

Buyer Initials _____

Page 7 of 8

Seller Initials



PROPERTY LOCATED AT: 17 Wadlin Road, Biddeford, ME 04072

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: N/A

Comments: N/A

Source of Section VII information: Prior Disclosure / Prior Owner

SECTION VIII - ADDITIONAL INFORMATION

The sunroom has radiant floor heat that is not hooked up, because it was never needed.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Signed by: [Signature] 10/2/2026
SELLER DATE

Truc Mai Nguyen-Dever

DocuSigned by: [Signature] 10/2/2026
SELLER DATE

Jared Dever

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE

BUYER DATE

BUYER DATE

BUYER DATE

