

PROPERTY LOCATED AT: 182 Maplewood Dr, Arundel, ME 04046

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I - WATER SUPPLY

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ ~~Seasonal~~ ☐ ~~Unknown~~
☒ Drilled ☐ Dug ☐ ~~Other~~

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

SLM
FLM

Pump (if any): Redone PUMP WIRING, TUBING ☐ N/A ☐ Yes ☒ No ☐ Unknown
Quantity: ☐ Yes ☒ No ☐ Unknown
Quality: ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ☒ Yes ☐ No

If Yes, Date of most recent test: 2023 Are test results available? ☒ Yes ☐ No

To your knowledge, have any test results ever:

a) Been reported as unsatisfactory or satisfactory with notation? ☐ Yes ☒ No

b) Detected perfluoroalkyl and polyfluoroalkyl (PFA) substances? ☐ Yes ☒ No

If Yes to (a) and/or (b) above, are test results available? ☒ Yes ☐ No

What steps were taken to remedy the problem? Installed PFAS charcoal system

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: Left of driveway next to the rock

Installed by: Unknown

Date of Installation: 2000

USE: Number of persons currently using system: 2

Does system supply water for more than one household? ☐ Yes ☒ No ☐ Unknown

Comments: PFAS test results were satisfactory; a PFAS filtration system was installed as a proactive measure.

Source of Section I information: Seller

Buyer Initials _____

Page 1 of 8

Seller Initials SLM FLM

SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ ~~Quasi Public~~ ☐ ~~Unknown~~

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected? ☐ Yes ☐ No
 If Yes, what results:
 Have you experienced any problems such as line or other malfunctions? ☐ Yes ☐ No
 What steps were taken to remedy the problem?

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____
☐ Overboard Discharge (38 MRS Section 413(3) and (3-A))

Tank Size: ☐ 500 Gallon ☒ 1000 Gallon ☐ Unknown ☐ Other: _____

Tank Type: ☒ Concrete ☐ Metal ☐ Unknown ☐ Other: _____

Location: Back left corner of home 15 feet from foundation OR ☐ Unknown

Date installed: 2000 Date last pumped: 04/2024 Name of pumping company: Nest & Sons

Have you experienced any malfunctions? ☐ Yes ☒ No

If Yes, give the date and describe the problem: n/a

Date of last servicing of tank: _____ Name of company servicing tank: Nest & Sons

Leach Field: ☒ Yes ☐ No ☐ Unknown

If Yes, Location: near septic tank

Date of installation of leach field: 2002-2003 Installed by: Mark Welch/Al Frick

Date of last servicing of leach field: unk Company servicing leach field: Nest and Sons

Have you experienced any malfunctions? ☐ Yes ☒ No

If Yes, give the date and describe the problem and what steps were taken to remedy: Leach field replaced by previous owner per old disclosure

Do you have records of the design indicating the # of bedrooms the system was designed for? ☒ Yes ☐ No

If Yes, are they available? ☒ Yes ☐ No

Is System located in a Shoreland Zone? ☐ Yes ☒ No ☐ Unknown

Comments: Nest & Sons services septic system and recommends pumping every 5 years for 2 people

Source of Section II information: Sellers and prior disclosure

Buyer Initials _____

Page 2 of 8

Seller Initials SLM P & M

PROPERTY LOCATED AT: 182 Maplewood Dr, Arundel, ME 04046

SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	FHW direct vent	Heat Pump	Gas Fireplace	*****
Age of system(s) or source(s)	2017	8/2023	*****	*****
TYPE(S) of Fuel	Propane	Electric	*****	*****
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	1085 gal (2025) 685 gal (2026)	Average \$165-\$190 per month year round	*****	*****
Name of company that services system(s) or source(s)	Garrett Pillsbury	Total Climate Control	*****	*****
Date of most recent service call	4/26 annual mtn.	annual mtn.	*****	*****
Malfunctions per system(s) or source(s) within past 2 years	None	None	*****	*****
Other pertinent information	n/a	n/a	Sellers have not used since owned	*****

Are there fuel supply lines? ☐ Yes ☒ No ☐ Unknown

Are any buried? ☐ Yes ☒ No ☐ Unknown

Are all sleeved? ☐ Yes ☒ No ☐ Unknown

Chimney(s): ☒ Yes ☐ No

If Yes, are they lined: ☒ Yes ☐ No ☐ Unknown

Is more than one heat source vented through one flue? ☐ Yes ☒ No ☐ Unknown

Had a chimney fire: ☐ Yes ☒ No ☐ Unknown

Has chimney(s) been inspected? ☐ Yes ☐ No ☒ Unknown

If Yes, date: _____

Date chimney(s) last cleaned: unknown

Direct and/or Power Vent(s): ☒ Yes ☐ No ☐ Unknown

Has vent(s) been inspected? ☒ Yes ☐ No ☐ Unknown

If Yes, date: April 2026

Comments: Chimney is currently used for the gas fireplace only - sellers have not used since owning the home.

Source of Section III information: Sellers

SECTION IV - HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground

storage tanks on the property? ☒ Yes ☐ No ☐ Unknown

If Yes, are tanks in current use? ☒ Yes ☐ No ☐ Unknown

If no longer in use, how long have they been out of service? _____

If tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☒ No ☐ Unknown

Are tanks registered with DEP? ☐ Yes ☒ No ☐ Unknown

Age of tank(s): 2017 Size of tank(s): 500 gal

Location: Back of home to the right

Buyer Initials _____

Page 3 of 8

Seller Initials SLM P4M

PROPERTY LOCATED AT: 182 Maplewood Dr, Arundel, ME 04046

F. LEAD-BASED PAINT/PAINT HAZARDS - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
..... Yes ☒ No ☐ Unknown ☐ Unknown (but possible due to age)

If Yes, describe location and basis for determination: _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: _____

Are you aware of any cracking, peeling or flaking paint? ☐ Yes ☒ No

Comments: Home was built in 2000

Source of information: Sellers

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: ☐ Yes ☐ No ☒ Unknown

LAND FILL: ☐ Yes ☐ No ☒ Unknown

RADIOACTIVE MATERIAL: ☐ Yes ☐ No ☒ Unknown

Other: _____

Source of information: Sellers and prior disclosure

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V - ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☒ Yes ☐ No ☐ Unknown

If Yes, explain: Clearview Estates - refer to deed

Source of information: Sellers

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ Unknown

If No, who is responsible for maintenance? Town of Arundel

Road Association Name (if known): n/a

Source of information: Sellers

Buyer Initials _____

Page 5 of 8

Seller Initials SLM PAM

SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from:(a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: _____

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: _____ Year: _____ (Attach a copy)

Comments: **None**

Source of Section VI information: **Sellers**

Buyer Initials _____

Page 6 of 8

Seller Initials SLM P4M

PROPERTY LOCATED AT: 182 Maplewood Dr, Arundel, ME 04046

SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....

☒ Yes ☐ No ☐ Unknown

If Yes, explain: **Disabled Veterans and Homestead**

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☒ No ☐ Unknown

Is the property subject to any of the following relating to shoreland zoning ordinances: a) A notice of violation issued by a municipal official or state agency; b) A pending enforcement action; c) Litigation; d) A court judgment; or e) A settlement or consent agreement?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, solar panels, wind turbines): Type: N/A

From Whom: _____

Year Principal Structure Built: 2000 What year did Seller acquire property? 2017

Roof: Year Shingles/Other Installed: 2000

Water, moisture or leakage: None

Comments: **No comments**

Foundation/Basement:

Is there a Sump Pump? ☒ Yes ☐ No ☐ Unknown

Water, moisture or leakage since you owned the property: ☐ Yes ☒ No ☐ Unknown

Prior water, moisture or leakage? ☒ Yes ☐ No ☐ Unknown

Comments: **The basement has been sealed with hydraulic cement and Dry Lock**

Mold: Has the property ever been tested for mold? ☐ Yes ☒ No ☐ Unknown

If Yes, are test results available? ☐ Yes ☒ No

Comments: **No issues after the basement was sealed**

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ Unknown

Comments: **No comments**

Has all or a portion of the property been surveyed? ☒ Yes ☐ No ☐ Unknown

If Yes, is the survey available? ☒ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ☐ Yes ☒ No ☐ Unknown

Modular ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure ☐ Yes ☒ No ☐ Unknown

Comments: **No comments**

Buyer Initials _____

Page 7 of 8

Seller Initials SKM Pa.M

PROPERTY LOCATED AT: 182 Maplewood Dr, Arundel, ME 04046
KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: N/A

Comments: _____

Source of Section VII information: Sellers and prior disclosure

SECTION VIII - ADDITIONAL INFORMATION

Sellers have records of all improvements made to the home since they purchased in September of 2017.
See attached list of upgrades and improvements.

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ☒ Yes ☐ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Stella L. McCormick
SELLER
Stella McCormick

9/20/26
DATE

Patrick McCormick
SELLER
Patrick McCormick

9/20/26
DATE

SELLER _____ DATE _____

SELLER _____ DATE _____

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER _____ DATE _____

BUYER _____ DATE _____

BUYER _____ DATE _____

BUYER _____ DATE _____

