

\$125.00

STANDARD NOTICE OF WORK COMPLETED AND NOT COMPLETED

NOTICE - All recommendations may not have been completed - See Below - Recommendations not completed.
This form is prescribed by the Structural Pest Control Board.

Building No.	Street	City	Zip	Date of Completion
33145 Vermont Rd., Temecula , CA 92592				04/22/2026
 31805 Temecula Parkway, Suite 639 Temecula, CA 92592 Riverside: (951) 302-4990 San Diego: (760) 728-3000				Report # W14692
				Lic. Registration # PR 6406
				Escrow #
Ordered By: Herbert & Cecilia Auza 33145 Vermont Rd. Temecula , CA 92592	Property Owner and/or Party of Interest: Real Estate Consulatant Val Ives	Completion Sent To: Redlands Escrow Brittany Rios		

The following recommendations on the above designated property, as outline in Wood Destroying Pests and Organisms Inspection Report dated 04/22/2026 have been and/or have not been completed.

Recommendations completed by this firm that are in accordance with the Structural Pest Control Board's Rules and Regulations:

Recommendations completed by this firm that are considered secondary and substandard measures under Section 1992 of the Structural Pest Control Board's Rules and Regulations including person requesting secondary measure:

Cost of work completed:

Cost : _____
Inspection Fee : _____
Other : \$125.00
Total : \$125.00

Recommendations not completed by this firm:

Estimated Cost : _____

Remarks:

This is to certify that the property described herein is now free of evidence of active infestation or infection in the visible and accessible areas.

Signature




You are entitled to obtain copies of all reports and completion notices on this property reported to the Structural Pest Control Board during the preceding two years upon payment of a search fee to: Structural Pest Control Board, 2005 Evergreen Street, Ste. 1500, Sacramento, California 95815.

NOTE: Questions or problems concerning the above report should be directed to the manager of this company. Unresolved questions or problems with services performed may be directed to the Structural Pest Control Board at (916) 561-8708, (800) 737-8188 or www.pestboard.ca.gov

WOOD DESTROYING PESTS AND ORGANISMS INSPECTION REPORT

Building Address: 33145 Vermont Rd., Temecula , CA 92592		Date of Inspection 04/22/2026	Number of Pages 5
 31805 Temecula Parkway, Suite 639 Temecula, CA 92592 Riverside: (951) 302-4990 San Diego: (760) 728-3000		Report # W14692	
		Lic. Registration # PR 6406	
		Escrow #	
Ordered by: Herbert & Cecilia Auza 33145 Vermont Rd. Temecula , CA 92592	Property Owner and/or Party of Interest: Herbert & Cecilia Auza 33145 Vermont Rd. Temecula , CA 92592	Report Sent to: Redlands Escrow Brittany Rios	
COMPLETE REPORT ☒ LIMITED REPORT ☐ SUPPLEMENTAL REPORT ☐ REINSPECTION REPORT ☐			
General Description: Single story residence concrete foundation with a tile roof and an attached garage. Occupied		Inspection Tag Posted: Garage Other Tags Posted: None	
An inspection has been made of the structure(s) shown on the diagram in accordance with the Structural Pest Control Act. Detached porches, detached steps, detached decks and any other structures not on the diagram were not inspected.			
Subterranean Termites ☐ Drywood Termites ☐ Fungus / Dryrot ☐ Other Findings ☐ Further Inspection ☐			
If any of the above boxes are checked, it indicates that there were visible problems in accessible areas. Read the report for the details on checked items.			



This Diagram is not to scale

Inspected by: Chase Massey State License No. OPR13610 Signature 

You are entitled to obtain copies of all reports and completion notices on this property reported to the Structural Pest Control Board during the preceeding two years. To obtain copies contact: Structural Pest Control Board, 2005 Evergreen Street, Ste. 1500, Sacramento, California 95815.

NOTE: Questions or problems concerning the above report should be directed to the manager of the company. Unresolved questions or problems with the services performed may be directed to the Structural Pest Control Board at (916) 561-8708, (800) 737-8188 or www.pestboard.ca.gov

SECOND PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 33145 Vermont Rd., Temecula , CA 92592

04/22/2026

W14692

Date

Report #

What is a Wood Destroying Pest and Organism Inspection Report?

The following explains the scope and limitations of a structural pest control inspection and a Wood Destroying Pest & Organism Inspection Report.

A Wood Destroying Pest & Organism Inspection Report contains finding as to the presence or absence of wood destroying insects or organisms in visible and accessible areas on the date of inspection and contains our recommendations for correcting any infestations, infections, or conditions found. The contents of the wood destroying pest & organism inspection report are governed by the structural pest control act and its rules and regulations.

Some structures may not comply with building code requirements or may have structural, plumbing, electrical, heating and air conditioning, or other defects that do not pertain to this report. This report does not address any such defects as they are not within the scope of the license of the inspector or the company issuing this report.

The following areas are considered inaccessible for purposes of inspection or are not included in a normal inspection report and therefore are excluded in this report: the interior of hollow walls; spaces between an upstairs floor and the ceiling below or a porch deck and soffit below; stall showers over finished ceilings; such structural segments as areas enclosed by bay windows, buttresses, built in cabinet work, areas under floor covering; any areas requiring the removal of storage, furnishings or appliances; any areas to which there is no access without defacing or removing lumber, masonry or finished workmanship.

This is a Wood Destroying Pest & Organisms Inspection Report. IT IS NOT A PEST CONTROL INSPECTION REPORT and does not include common household pests such as ants, cockroaches, silverfish, beetles, fleas, moths, weevils, vermin, mice, rats, bats, etc. If you would like your property inspected for common household pests please let us know and we will have one of our licensed general pest representatives inspect your property.

During the course of/ or after opening walls or any Previously Concealed Areas should any further damage or infestation be found, a supplementary report will be issued. Any work completed in these areas would be at Owner's Direction and Additional Expense.

Certain areas are recognized by the industry as inaccessible and/or for other reasons not inspected. These include but are not limited to: inaccessible and/or insulated attics or portions thereof, attics with less than 18" clear crawl space, the interior of hollow walls, spaces between a floor or porch deck and the ceiling below, areas where there is no access without defacing or tearing out lumber, masonry or finished work that make inspection impractical, and areas or timbers around eaves that would require use of an extension ladder.

Certain areas may be inaccessible for inspection due to construction or storage. We recommend further inspection of areas where inspection was impractical. Re: Structural Pest Control Act, Article 6, section 8516 (b), paragraph 1990 (l). Amended effective March 1, 1974. Stall shower, if any, are water tested in compliance with Section 1991 (12) of the Structural Pest Control Act. The absence or presence of leaks through sub-floor, adjacent floors or walls will be reported. This is a report of the condition of the stall shower at the time of inspection only, and should not be confused as a guarantee. Although we make a visual examination, we do not deface or probe into window or door frames, decorative trim, roof members, etc., in search of wood destroying pests or organisms.

"This company will reinspect repairs done by others within four months of the original inspection. A charge, if any, can be no greater than the original inspection fee for each reinspection. The reinspection must be done within ten (10) working days of request. The reinspection is a visual inspection and if inspection of concealed areas is desired, inspection of work in progress will be necessary. Any guarantees must be received from parties performing repairs."

Newly painted surfaces or repairs in some instances can conceal evidence of damage. This firm does not assume any responsibility for hidden defects if a structure has recently been painted or any repair work has been done deliberately or inadvertently to conceal adverse conditions or infections.

During the process of treatment or replacement it may be necessary to drill holes through ceramic tiles or other floor coverings; these holes will then be sealed with cement or other sealer. We assume no responsibility for cracks, chipping, or other damage to floor coverings. We do not re-lay carpeting. customer agrees to hold Knockout Pest Control & Termite harmless for any damage which may occur to plant life, wiring, trees, pets, sprinkler systems, tile roofs, plumbing leaks, or changes which may occur during the performance of the work.

We assume No Responsibility for damage to any Plumbing, Water, Gas or Electrical lines, etc. in the process of pressure treatment of concrete slab areas or replacement of concrete or structural timbers.

NOTE: We do not inspect or certify plumbing, plumbing fixtures, etc.

Note: Attached sections of fence and/or gates will be inspected. Detached fence and/ or gates will not be inspected.

Note: We do not do digging, cutting, etc, during our initial inspection. Only a visual inspection is completed.

Note: Commencement of Section II work may reveal additional Section I work, i.e, fungus, wood decay, termites, etc.

Note: Parties to this transaction should be aware that items involving further inspection and inaccessible areas may lead to further findings of Section 1, Section 11, or both, and that additional findings may increase the cost of completion as well as the time involved in the completion.

THIRD PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 33145 Vermont Rd., Temecula , CA 92592

04/22/2026

W14692

Date

Report #

Note: When replacement material is used, an exact match cannot be guaranteed. All replacement material will be of current industry sizing.

NOTE: "The exterior surface of the roof was not inspected. If you want the water tightness of the roof determined, you should contract a roofing contractor who is licensed by the Contractor's State License Board."

NOTE: If second story roofline is setback from the first story making it inaccessible for a visual inspection. This area is not covered in the report. Due to the setback it is impossible to inspect this area, and thus will be exempt from clearance. Knockout Pest Control & Termite, Inc. does not guarantee or issue any warranty on this area.

"NOTICE: The charge for service that this company subcontracts to another registered company may include the company's charges for arranging and administering such services that are in addition to the direct costs associated with paying the subcontractor. You may accept Knockout Pest Control & Termite Inc.'s bid or you may contract directly with another registered company licensed to perform the work.

If you choose to contract directly with another registered company, Knockout Pest Control & Termite Inc. will not in any way be responsible for any act or omission in the performance of work that you directly contract with another to perform."

"NOTICE: Reports on this structure prepared by various registered companies should list the same findings (i.e. termite infestations, termite damage, fungus damage, etc.). However, recommendations to correct these findings may vary from company to company. You have a right to seek a second opinion from another company."

This Wood Destroying Pest & Organisms Report DOES NOT INCLUDE MOLD or any mold like conditions. No reference will be made to mold or mold-like conditions. Mold is not a Wood Destroying Organism and is outside the scope of this report as defined by the Structural Pest Control Act. If you wish your property to be inspected for mold or mold like conditions, please contact the appropriate mold professional.

"Local treatment is not intended to be an entire structure treatment method. If infestations or wood-destroying pests extend or exist beyond the area(s) of local treatment, they may not be exterminated."

This is a separated report which is defined as Section I/Section II conditions evident on the date of the inspection. Section I contains items where there is visible evidence of active infestation, infection or conditions that have resulted in or from infestation of infection. Section II items are conditions deemed likely to lead to infestation or infection but where no visible evidence of such was found. Further inspection items are defined as recommendations to inspect area(s) which during the original inspection did not allow the inspector access to complete the inspection and cannot be defined as Section I or Section II.

FOURTH PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 33145 Vermont Rd., Temecula , CA 9259204/22/2026W14692

Date

Report #

In accordance with the laws and regulation of the State of California, we are required to provide you with the following information prior to application of pesticides to your property.

"State law requires that you be given the following information: CAUTION--PESTICIDES ARE TOXIC CHEMICALS. Structural Pest Control Companies are registered and regulated by the Structural Pest Control Board, and apply pesticides which are registered and approved for use by the California Department of Pesticide Regulation and the United States Environmental Protection Agency. Registration is granted when the state finds that, based on existing scientific evidence, there are no appreciable risks if proper use conditions are followed or that the risks are outweighed by the benefits. The degree of risk depends upon the degree of exposure, so exposure should be minimized."

"If within 24 hours following application you experience symptoms similar to common seasonal illness comparable to the flu, contact your physician or poison control center (800) 876-4766 and your pest control company immediately."

For further information, contact any of the following:

Knockout Pest Control and Termite Inc. (760) 728-3000

Poison Control Center (800) 876-4766

(Health Questions) County Health Dept.

San Diego County (866) 358-2966

Orange County (714) 834-7700

Los Angeles County (213) 250-8055

San Bernardino County (909) 387-6280

Riverside County (909) 358-5000

(Application Info.) County Agriculture Commission

San Diego County (858) 694-2741

Orange County (714) 447-7100

Los Angeles County (626) 575-5465

San Bernardino County (909) 387-2115

Riverside County (951) 955-3000

Structural Pest Control Board (Regulatory Info.) (916) 561-8704

2005 Evergreen Street, Ste. 1500 Sacramento, CA 95815

NOTICE TO OWNER

Under the California Mechanics Lien Law any structural pest control company which contracts to do work for you, any contractor, subcontractor, laborer, supplier or other person who helps to improve your property, but is not paid for his or her work or supplies, has a right to enforce a claim against your property. This means that after a court hearing, your property could be sold by a court officer and the proceeds of the sale used to satisfy the indebtedness. This can happen even if you have paid your structural pest control company in full if the subcontractor, laborers or suppliers remain unpaid.

To preserve their right to file a claim or lien against your property, certain claimants such as subcontractors or material suppliers are required to provide you with a document entitled "Preliminary Notice." Prime contractors and laborers for wages do not have to provide this notice. A Preliminary Notice is not a lien against your property. Its purpose is to notify you of persons who may have a right to file a lien against your property if they are not paid.

NOTE: If the Home Owner fails to pay billing in full, Knockout Pest Control & Termite Inc. will have the right to be paid back for all its costs and expenses to the extent not prohibited by applicable law. Those expenses include, for example (but not limited to), reasonable attorney's fees. If for any reason this account is to be turned over to our collection agency, you will be responsible for all the cost of collecting.

Note: Financially responsible party or authorized agents must sign Work Authorization. If the property is part of an escrow transaction and in the event that escrow cancels the authorizing party becomes responsible for the balance due upon work completed.

Prices quoted are valid only if all work is completed by this company.

FIFTH PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 33145 Vermont Rd., Temecula , CA 92592

04/22/2026

W14692

Date

Report #

Findings and Recommendations estimated by this Company:

Item Approval Primary Estimate

Section

☐ Complete all of the items quoted above with Primary Estimate.

Total Estimate \$00

☐ Complete only the above Items checked.

Total \$ _____

*I have read and understand the terms of the Report referenced above and agree to the terms and conditions set forth.
Knockout Pest Control and Termite Inc. is hereby authorized to complete the Items selected above and it is agreed that payment shall be made as follows:*

Payment shall be made as follows: ☐ With close of Escrow ☐ \$ _____ Deposit ☐ \$ _____ on Completion

Escrow Number: _____ Escrow Company: _____ Escrow Officer: _____

Phone () _____ - _____ Email: _____ Address: _____

Owner or Authorized Representative: ☐ Owner ☐ Representative's Title: _____

Print Name: _____ X _____ Date _____

Owner or Authorized Representative: ☐ Owner ☐ Representative's Title: _____

Print Name: _____ X _____ Date _____