Wisconsin Department of Safety and Professional Services
Division of Industry Services

SOIL EVALUATION REPORT

In accordance with SPS 385, Wis. Adm. Code

Attach complete site plan on paper not less than 8 1/2 x 11 inches in size. Plan must include, but not limited to: vertical and horizontal reference point (BM), direction and percent slope, scale or dimensions, north arrow, and location and distance to nearest road.

Please print all information.

Personal information you provide may be used for secondary purposes (Privacy Law, s. 15.04(1)(m)).

County: Juneau

Parcel I.D.: 290280465.06

Reviewed by: | Date:

Property Owner: Chris Hastings

Property Owner's Mailing Address: 10529 W. Villard Ave

City: Milwaukee | State: WI | Zip Code: 53225 | Phone Number: 414-617-8151

Property Location: ☒ E (or) ☐ W

Govt. Lot SW ¼ SE ¼ S 22 T 18 N R 3

Site Address or CSM and Lot #: Lot 6, Vol 21 CSM Pg 96

☐ City ☐ Village ☒ Town: Necedah

Nearest Road: W7092 23rd ST

☒ New Construction ☐ Replacement

Use: ☒ Residential / Number of bedrooms 3 ☐ Public or commercial – Describe:

Code derived design flow rate 450 GPD

Flood Plan elevation if applicable N/A ft.

Parent material: Sandstone

General comments and recommendations: * Consult w/ installing plmr on proper tree removal from system area.
Recommend an 18" Sand Lift Mound on staked 99.45' Contour.

1 Boring # ☐ Boring ☒ Pit

Ground surface elev. 98.98 ft. Depth to limiting factor 18 in. / elev. 97.48 ft.

Horizon	Depth In.	Dominant Color Munsell	Redox Description Qu. Az. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/Ft² *Eff#1	*Eff#2
1	0-6	10yr 2/2	—	LFS	0 SG	MD	CS	3F 1M-1C	.5	1.0
2	6-18	10yr 4/3	—	FS	0 SG	MD	CS	1F-1M	.5	1.0
3	18-44	10yr 5/3	C2P 7.5yr 5/8	FS	0 SG	MD	—	-	.5	1.0
			H2O in Pit at 44"							

2 Boring # ☐ Boring ☒ Pit

Ground surface elev. 99.45 ft. Depth to limiting factor 19 in. / elev. 97.87 ft.

Horizon	Depth In.	Dominant Color Munsell	Redox Description Qu. Az. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/Ft² *Eff#1	*Eff#2
1	0-6	10yr 2/2	—	LFS	0 SG	MD	CS	3F 1M-1C	.5	1.0
2	6-19	10yr 4/3	—	FS	0 SG	MD	CS	2F-1M	.5	1.0
3	19-44	10yr 5/3	C2P 7.5yr 5/8	FS	0 SG	MD	CS	-	.5	1.0
			H2O in Pit at 44"							

CST Name (Please Print)	Signature	CST Number
Terry A Schmidt	Terry A Schmidt	227196
Address	**Date Evaluation Conducted**	**Telephone Number**
5015 Cheyenne Rd Warrens, WI 54666	5-24-2023	608-313-2645

* Effluent #1 = BOD > 30 ≤ 220 mg/L and TSS > 30 ≤ 150 mg/L

* Effluent #2 = BOD, ≤ 30 mg/L and TSS ≤ 30 mg/L

3 Boring # ☐ Boring ☑ Pit Ground surface elev 98.83 ft. Depth to limiting factor 19 in. / elev. 97.25 ft.

Horizon	Depth In.	Dominant Color Munsell	Redox Description Qu. Az. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/Ft² *Eff#1	*Eff#2
1	0-9	10yr 2/2	—	LFS	W Sg	MF	CS	3F fine-IC	.5	1.0
2	9-19	10yr 4/3	—	FS	W Sg	MF	GW	2F-fine	.5	1.0
3	19-37	10yr 5/3	C2P 7.5yr 5/8	FS	W S	MF	CS	—	.5	1.0
			H2O in Pit	AT	37"					


4 Boring # ☐ Boring ☑ Pit Ground surface elev. 100.83 ft. Depth to limiting factor 15 in. / elev. 99.58 ft.

Horizon	Depth In.	Dominant Color Munsell	Redox Description Qu. Az. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/Ft² *Eff#1	*Eff#2
1	0-5	10yr 2/2	—	LFS	W Sg	MF	CS	2F fine-IC	.5	1.0
2	5-15	10yr 5/6	—	FS	W S	MF	GW	1F-fine	.5	1.0
3	15-36	2.5y 6/2	C2P 7.5yr 5/8	FS	W S	MF	CS	—	.5	1.0
		* Some Topsoil Appears to have been removed during TREE								
		REMOVAL								

5 Boring # ☐ Boring ☑ Pit Ground surface elev. 100.83 ft. Depth to limiting factor 10 in. / elev. 99.25 ft.

Horizon	Depth In.	Dominant Color Munsell	Redox Description Qu. Az. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/Ft² *Eff#1	*Eff#2
1	0-4	10yr 2/2	—	LFS	W Sg	MF	CS	2F fine-IC	.5	1.0
2	4-10	10yr 5/6	—	FS	W Sg	MF	CS	1F-fine	.5	1.0
3	10-30	10yr 5/2	C2P 7.5yr 5/8	FS	W S	MF	—	—	0.0	0.0
		Area is	Disturbed by	TREE	REMOVAL					

* Effluent #1 = BOD > 30 ≤ 220 mg/L and TSS > 30 ≤ 150 mg/L * Effluent #2 = BOD, ≤ 30 mg/L and TSS ≤ 30 mg/L


TRAIL
WOODED
1% slope
BENCHMARK:
Top of NAIL
Assume 100'
(PAINTED ORANGE)
99.45'
98.95'
Clearzo AREA
Proposed House Location
1
2
3
4
5
Scale: 1" = 40'
0
20
40
N
CHRIS HASTINGS
10529 W. Villard Ave
Milwaukee, WI 53225
SW, SE, SEC. 22, T18N, R3E
Lot 6, Vol 21, CSM P696
Town of NECEDAH
Clearzo Area
Verify P/L Location prior to INSTALL
Tree line
Assumed Property Line
CAMPER
Gravel
Gravel
OUT TO 23rd ST
Concrete
EX SHED
Tony Johnson
CST 227194
5-24-23