WM. HILGART & SONS, Inc.

1004 Washington St.
Grafton, Wisconsin 53024

Trucking & Excavating — Sand & Gravel

Name Rollem Enterprises
Add 1077 Lake Dr
City Port Washington WI 53074

Date: 9/3/2026

REF: Soil Testing for Mound System

25-Aug		Soil borings, soil reports, & recording of reports with Ozaukee County		$600.00
		Ozaukee Country On-Site Fee		$200.00
		Taxable Subtotal		
		WI,OZ Cty.,Stadium Tax	5.60%	
		Total		$800.00

TERMS: 30 DAYS NET
A charge of 1% per month will be added to your account for past due Invoices

Wisconsin Department of Safety and Professional Services
Division of Industry Services

SOIL EVALUATION REPORT

In accordance with SPS 385, Wis. Adm. Code

Attach complete site plan on paper not less than 8 1/2 x 11 inches in size. Plan must include, but not limited to: vertical and horizontal reference point (BM), direction and percent slope, scale or dimensions, north arrow, and location and distance to nearest road.

Please print all information.

Personal information you provide may be used for secondary purposes (Privacy Law, s. 15.04(1)(m)).

County Ozaukee	
Parcel I.D. 07-011-06-006.00	
Reviewed by	Date

Property Owner Rollem Enterprises LLC				Property Location Govt. Lot NW ¼ NW ¼ S 11 T 11 N R 22 ☑ E (or) ☐ W	
Property Owner's Mailing Address 1077 Lake Dr				Site Address or CSM and Lot #:	
City Port Washington	State WI	Zip Code 53074	Phone Number ( )	☐ City ☐ Village ■ Town Port Washington	Nearest Road CTY Rd. LL

■ New Construction Use: ■ Residential / Number of bedrooms TBD
☐ Replacement ☐ Public or commercial – Describe: _____
Parent material Glacial Till
Code derived designflow rate_____GPD
Flood Plan elevation if applicable NA ft.
General comments and recommendations: Site is suitable for a mound system.

1 Boring # ☐ Boring ■ Pit Ground surface elev. 686.4 ft. Depth to limiting factor 18 in. / elev. 684.90 ft.

Horizon	Depth In.	Dominant Color Munsell	Redox Description Qu. Az. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/Ft² *Eff#1	*Eff#2
1	0-8	10yr3/2	-	SiL	2fgr	mfr	aw	1vf	0.6	0.8
2	8-18	7.5yr4/4	-	SiCL	2mabk	mfr	cw	1vf	0.4	0.6
3	18-34	7.5yr5/4	c2d 7.5yr5/8	SiCL	1fabk/0m	mfr	-	-	0	0

2 Boring # ☐ Boring ■ Pit Ground surface elev. 686.13 ft. Depth to limiting factor 18 in. / elev. 684.63 ft.

Horizon	Depth In.	Dominant Color Munsell	Redox Description Qu. Az. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/Ft² *Eff#1	*Eff#2
1	0-9	10yr3/2	-	SiL	2fgr	mfr	aw	1vf	0.6	0.8
2	9-18	7.5yr4/3	-	SiCL	2mabk	mfr	cw	1vf	0.4	0.6
3	18-37	7.5yr5/4	c2d 7.5yr5/8	SiCL	1fabk/0m	mfr	-	-	0	0

CST Name (Please Print) Robert S Hilgart	Signature	CST Number 226165
Address 1004 Washington St Grafton WI 53024	Date Evaluation Conducted 08-25-26	Telephone Number 262-375-3892

* Effluent #1 = BOD > 30 ≤ 220 mg/L and TSS > 30 ≤ 150 mg/L * Effluent #2 = BOD, ≤ 30 mg/L and TSS ≤ 30 mg/L

3 Boring # ☐ Boring ☒ Pit Ground surface elev. 687.58 ft. Depth to limiting factor 16 in. / elev. 686.25 ft.

Horizon	Depth In.	Dominant Color Munsell	Redox Description Qu. Az. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/Ft² *Eff#1	Soil Application Rate GPD/Ft² *Eff#2
1	0-10	10yr3/2	-	SiL	2fgr	mfr	aw	1vf	0.6	0.8
2	10-16	7.5yr4/4	-	SiCL	2mabk	mfr	cw	1vf	0.4	0.6
3	16-33	7.5yr5/4	c2ds 7.5yr5/8	SiCL	1fabk/0m	mfr	-	-	0	0

☐ Boring # ☐ Boring ☐ Pit Ground surface elev. _____ ft. Depth to limiting factor _____ in. / elev. _____ ft.

Horizon	Depth In.	Dominant Color Munsell	Redox Description Qu. Az. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/Ft² *Eff#1	Soil Application Rate GPD/Ft² *Eff#2

☐ Boring # ☐ Boring ☐ Pit Ground surface elev. _____ ft. Depth to limiting factor _____ in. / elev. _____ ft.

Horizon	Depth In.	Dominant Color Munsell	Redox Description Qu. Az. Cont. Color	Texture	Structure Gr. Sz. Sh.	Consistence	Boundary	Roots	Soil Application Rate GPD/Ft² *Eff#1	Soil Application Rate GPD/Ft² *Eff#2

* Effluent #1 = BOD > 30 ≤ 220 mg/L and TSS > 30 ≤ 150 mg/L * Effluent #2 = BOD, ≤ 30 mg/L and TSS ≤ 30 mg/L

Site Map



Legend

- Slope Arrow
- Soil Borings
- Benchmark
- Index Contour
- Intermediate Contour

Parcel Lines Shown as White Line

N
W E
S

0 25 50 100 Feet

Site Map



Legend

- Slope Arrow
- Soil Borings
- Benchmark
- Index Contour
- Intermediate Contour

Parcel Lines Shown as White Line

N
W E
S

0 25 50 100 Feet