


- ▲ INDICATES 2" FROM P.P.G. FOUND.
 ● INDICATES NO. 10 (12") REBAR, FOUND, UNLESS INDICATED.
 ○ INDICATES NO. 10 (12") REBAR, W/ 400 LBS PER LINEAL FOOT AT LEAST 18" IN LENGTH, SET, UNLESS NOTED.
 ALL OTHERS FOR & OUTLINE CORNERS HAVE 1" O.D. IRON P.P.G., 18" IN LENGTH, W/ 1,400 LBS. PER LINEAL FOOT, SET.
 ⑩ INDICATES DESIGNATED TO THE PUBLIC FOR ROAD PURPOSES.*
 * - - - INDICATES BUILDING SETBACK LINE

Part of the Northwest 1/4 and Northeast 1/4 of Section 12, being a part of Township 10 North, Range 21 East, in the Village of Gratiot, Ozaukee County, Wisconsin.



rasmith
CALL TOLL FREE 1-800-255-5555
16745 W. Bluffwood Road
Buckhead, VA 22033-5158
(703) 771-1000
rasmith@aol.com

SHEET 2 OF 4 SHEETS

There were no objections to this plan with respect to
 * 23.6.13, 23.6.16, 23.6.20 and 23.6.31 (1) and (2), with
 State as provided by * 23.6.12, with State.
 Certified September 12, 2023.

John J. Jones
 Department of Agriculture




March 28, 2023
Revised July 9, 2025
Revised July 22, 2025



1175575

LEGEND

- ▲ PROPOSED 2" HOSE PIPE, FLOW.
- PROPOSED NO. 10 (1.517) AREA, FLOW.
- PROPOSED NO. 10 (1.517) AREA, WT. 4.203 LBS PER LINEAL FOOT AT LEAST 18" IN LENGTH, SET, UNLESS NOTED.
- ① 1/4" (2.00) 1ST & 2ND FLOOR CORNER JOINT 1" DIA. IRON PIPE, 18" IN LENGTH, WT. 1.08 LBS. PER LINEAL FOOT, SET.
- ② PROPOSED TRENCHED TO THE PUBLIC FOR HOSE PUMP/OUTLET.
- ③ PROPOSED BUILDING SETBACK LINE.



1175575




SHADY HOLLOW
PHASE 7 SUBDIVISION

Part of the Northeast 1/4 and Northeast 1/4 of the Northeast 1/4 of Section 12, being a part of Township 10 North, Range 41 East, in the Village of Orion, Ottawa County, Michigan.

Lot	Area	Owner	Acres	Owner	Acres
128	1.000	Shady Hollow	1.000	Shady Hollow	1.000
129	1.000	Shady Hollow	1.000	Shady Hollow	1.000
130	1.000	Shady Hollow	1.000	Shady Hollow	1.000
131	1.000	Shady Hollow	1.000	Shady Hollow	1.000
132	1.000	Shady Hollow	1.000	Shady Hollow	1.000
133	1.000	Shady Hollow	1.000	Shady Hollow	1.000
134	1.000	Shady Hollow	1.000	Shady Hollow	1.000
135	1.000	Shady Hollow	1.000	Shady Hollow	1.000
136	1.000	Shady Hollow	1.000	Shady Hollow	1.000
137	1.000	Shady Hollow	1.000	Shady Hollow	1.000
138	1.000	Shady Hollow	1.000	Shady Hollow	1.000
139	1.000	Shady Hollow	1.000	Shady Hollow	1.000
140	1.000	Shady Hollow	1.000	Shady Hollow	1.000
141	1.000	Shady Hollow	1.000	Shady Hollow	1.000
142	1.000	Shady Hollow	1.000	Shady Hollow	1.000
143	1.000	Shady Hollow	1.000	Shady Hollow	1.000
144	1.000	Shady Hollow	1.000	Shady Hollow	1.000
145	1.000	Shady Hollow	1.000	Shady Hollow	1.000
146	1.000	Shady Hollow	1.000	Shady Hollow	1.000
147	1.000	Shady Hollow	1.000	Shady Hollow	1.000
148	1.000	Shady Hollow	1.000	Shady Hollow	1.000
149	1.000	Shady Hollow	1.000	Shady Hollow	1.000
150	1.000	Shady Hollow	1.000	Shady Hollow	1.000

This map is subject to all applicable laws and regulations, including but not limited to, the Michigan Subdivision Map Act, and the Michigan Building Code. The map is not to be used for any purpose other than the specific purpose for which it was prepared. The map is not to be used for any purpose other than the specific purpose for which it was prepared.

rosmith
Professional Engineer
Michigan State Board of Engineering
1175575



SHADY HOLLOW SUBDIVISION OVERALL EXHIBIT GRAFTON, WISCONSIN	
PHASE 7 GRADING OVERVIEW	
DATE: JANUARY 2009	PROJECT NO: 18818
FILE NO: 18818	SHEET NO: 18
DRAWING NO: PH 7	

EARTH TECH | AECOM

SHADY HOLLOW, WISCONSIN	
DRN	CALL JAN., 2009
DES	PLD JAN., 2009
CHK	SLH JAN., 2009
APP	JAN., 2009
2 LOT 181-187 AS-BUILT GRADINGS WEST OF DITCH RES. TYP. AUG. 2025	
REVIEWS	