



RESIDENTIAL PROPERTY SELLER DISCLOSURE STATEMENT

This form is approved by the Iowa City Area Association of REALTORS®



Address of Property:

2960 160th St. Riverside, IA 52327

PURPOSE: Use this statement to disclose information as required by Iowa Code Chapter 558A. This law requires certain sellers of residential property that includes at least one (1) but no more than four (4) dwelling units to disclose information about the property to be sold. The following disclosures are made by the seller(s) and not by any agent on behalf of the seller(s).

INSTRUCTIONS TO SELLER(S): (1) Seller(s) must complete this statement. Complete all questions, or attach reports allowed by Iowa Code Section 558.A.4; (2) Disclose all known conditions materially affecting this property; (3) If an item does not apply to this property, check the "N/A" box as not applicable; (4) You must provide information in good faith and make a reasonable effort to ascertain the required information. If the required information is unknown or is unavailable following a reasonable effort, use an approximation of the information and indicate by using "AP", or if the information is unknown indicate by checking the "UNK" box; (5) Additional pages may be attached to this form as needed; (6) Keep a copy of this statement with your other important papers.

N/A only to be used if component is not a part of the property.

1. Basement/Foundation: Any known water or other problems? Yes ☐ No ☒ N/A ☐ UNK ☐

If yes, explain:

Dates of repairs and/or replacement:

2. Roof: Any known problems? Yes ☐ No ☒ N/A ☐ UNK ☐

Any known repairs?

Yes ☒ No ☐ N/A ☐ UNK ☐

If yes to either, explain:

Dates of repairs:

Age of Roof? 2015 new steel

3. Well and Pump: Yes ☒ No ☐ N/A ☐ UNK ☐

Any known problems?

Yes ☐ No ☒ N/A ☐ UNK ☐

If yes, explain:

Dates of repairs and/or replacement:

Any known water tests? 7/15 Report Attached

Yes ☒ No ☐ N/A ☐ UNK ☐

If yes, date of last report:

Results of last report:

4. Septic Tanks / Drainage Fields: Yes ☒ No ☐ N/A ☐ UNK ☐

Any known problems?

Yes ☐ No ☒ N/A ☐ UNK ☐

If yes, explain:

Date of repairs and/or replacement:

Location of septic tank:

Date tank was last cleaned/pumped:

Septic Tank Size (gallons):

5. Sewer System: Yes ☐ No ☐ N/A ☒ UNK ☐

Any known problems?

Yes ☐ No ☐ N/A ☒ UNK ☐

Any known repairs?

Yes ☐ No ☐ N/A ☒ UNK ☐

If yes to either, explain:

Date of repairs and/or replacement:

6. Heating System(s): Yes ☒ No ☐ N/A ☐ UNK ☐

Any known problems?

Yes ☒ No ☐ N/A ☐ UNK ☐

Any known repairs?

Yes ☐ No ☒ N/A ☐ UNK ☐

If yes to either, explain:

Dates of repairs:

Age of Heating System? Boiler 2019

7. Cooling System(s):
 Any known problems? Yes ☐ No ☐ N/A ☒ UNK ☐
 Any known repairs? Yes ☐ No ☐ N/A ☒ UNK ☐
 If yes to either, explain:
 Dates of repair:
 Age of Cooling System?

8. Plumbing System(s):
 Any known problems? Yes ☐ No ☒ N/A ☐ UNK ☐
 If yes, explain: *New gasket installed 2025 in Water Heater*
 Dates of repairs and/or replacement:
 Are there currently or have there ever been any lead services lines present? Yes ☐ No ☒ N/A ☐ UNK ☐
 If yes, explain:

9. Electrical System(s):
 Any known problems? Yes ☐ No ☒ N/A ☐ UNK ☐
 If yes, explain:
 Dates of repairs and/or replacement:

10. Pest Infestation (e.g., termites, carpenter ants): Any known problems? Yes ☐ No ☒ N/A ☐ UNK ☐
 If yes, date(s) of treatment(s):
 Any known structural damage? Yes ☐ No ☒ N/A ☐ UNK ☐
 If yes, explain:
 Dates of repairs and/or replacements:

11. Asbestos: Any known to be present in the structure? Yes ☐ No ☒ N/A ☐ UNK ☐
 If yes, explain:

12. Radon: Any known tests for the presence of radon gas? Yes ☐ No ☒ N/A ☐ UNK ☐
 If yes, date of last report:
 Results of last report:

13. Lead-Based Paint: Any known to be present in the structure? Yes ☐ No ☒ N/A ☐ UNK ☐
 Was the dwelling constructed prior to January 1, 1978? Yes ☐ No ☐ N/A ☐ UNK ☒
 If yes, complete the "Lead Based Paint Disclosure"

14. Flood Plain: Is the property located in a flood plain? Yes ☐ No ☒ N/A ☐ UNK ☐
 If yes, what is the flood plain designation?

15. Zoning: Do you know the zoning classification of the property? Yes ☒ No ☐ N/A ☐ UNK ☐
 If yes, what is the zoning classification? *Rural Residential*

16. Covenants: Is the property subject to restrictive covenants? Yes ☐ No ☒ N/A ☐ UNK ☐
 If yes, attach a copy or state where a true current copy of the covenants can be obtained:


17. Shared or Co-Owned Features: Are features of the property known to be shared in common with adjoining landowners, such as walls, fences, roads, and driveways whose use and/or maintenance responsibility may have an effect on the property? Yes ☐ No ☒ N/A ☐ UNK ☐
If yes, explain:
- Any known "common areas" such as pools, tennis courts, walkways or other areas co-owned with others, or a Homeowners' Association which has any authority over the property? Yes ☐ No ☒ N/A ☐ UNK ☐
If yes, explain:
18. Physical Problems: Any known settling, flooding, drainage or grading problems? Yes ☐ No ☒ N/A ☐ UNK ☐
If yes, explain:
19. Structural Damage: Any known structural damage? Yes ☐ No ☒ N/A ☐ UNK ☐
If yes, explain:
20. Emerald Ash Borer: Any known Ash trees located on the property? Yes ☒ No ☐ N/A ☐ UNK ☐
Date(s) of Treatment? If Any:
21. Insurance Claims: Any known insurance claims? Yes ☐ No ☒ N/A ☐ UNK ☐
If yes, explain:
22. LP Tank: Yes ☐ No ☒ N/A ☐ UNK ☐
Rented or Owned Rented ☐ Owned ☐
If rented, please list company
If owned, does it stay with the property Yes ☐ No ☐ N/A ☐ UNK ☐
Any known problems? Yes ☐ No ☐ N/A ☐ UNK ☐
If yes, explain:
Dates of repairs and/or replacement:
23. Water Softener: Yes ☒ No ☐ N/A ☐ UNK ☐
Rented or Owned Rented ☐ Owned ☒
If rented, please list company
If owned, does it stay with the property? Yes ☒ No ☐
Any known problems? Yes ☐ No ☒ N/A ☐ UNK ☐
If yes, explain:
Dates of repairs and/or replacement: new 2026
24. Rented/Leased Equipment? Yes ☐ No ☒ N/A ☐ UNK ☐
If yes, please list the equipment staying with the property

Any Additional Information:

Please use additional sheets as necessary.

SELLER(S) DISCLOSURE STATEMENT IS NOT REQUIRED IN THE FOLLOWING INSTANCES: (1) Property contains no dwelling units or more than four dwelling units; (2) The transfer is made pursuant to court order; (3) The transfer is by mortgagor or mortgagee incident to a foreclosure or deed in lieu of foreclosure, or is incident to contract forfeiture; (4) transfers by a fiduciary in the course of the administration of a decedent's estate, guardianship, conservatorship, or trust. This exemption shall not apply to a transfer of real estate in which the fiduciary is a living natural person and was an occupant in possession of the real estate at any time within the twelve consecutive months immediately preceding the date of transfer; (5) A transfer between joint tenants or tenants in common; (6) A transfer to a spouse or a lineal descendent of the transferor; (7) A transfer between spouses as a result of dissolution of marriage or legal separation; (8) A transfer to or from a governmental body; (9) A transfer by quit claim deed; (10) A transfer by a power of attorney.

SELLER(S) DISCLOSURE: Seller(s) discloses the information regarding this property based on information known or reasonably available to the Seller(s). The Seller(s) has owned the property since 1998. The Seller(s) certifies that as of the date signed, this information is true and accurate to the best of my/our knowledge. Seller(s) acknowledge(s) the requirement that Buyer(s) be provided with the "Iowa Radon Home-Buyers and Seller Fact Sheet" prepared by the Iowa Department of Public Health.

 8-2-26
Seller date

Seller date

BUYER(S) ACKNOWLEDGEMENT: Buyer(s) acknowledges receipt of a copy of this Real Estate Disclosure Statement. This statement is not intended to be a warranty or to substitute for any inspection the buyer(s) wish to obtain. Buyer(s) acknowledge receipt of the "Iowa Radon Home-Buyers and Seller Fact Sheet" prepared by the Iowa Department of Public Health.

Buyer date

Buyer date



Collection Location kitchen sink	Collector and Phone fries aimie 319/853-7782	Client Reference	Accession # 2668100
2960 180TH ST RIVERSIDE, IA	Collected 2025-07-01 12:00	Received 2025-07-01 15:00	Project
Report To WASHINGTON CO ENVIRONMENTAL HEALTH 222 W MAIN ST PO BOX 889 WASHINGTON, IA 52353-	Sample Description water		
	Sample Type Drinking Water		
	Sample Source		
	Sample Note(s) 1		

ADDITIONAL SAMPLE INFORMATION

Owner: holtkamp jeff

Well Number: 2165799

RESULTS OF ANALYSIS - FINAL REPORT

TEST

Total Coliform and E.coli Bacteria, SM 9223 B
Total Coliform Bacteria
E.coli

RESULT (MPN)/100mL

22.2
<1

ANALYSIS NOTE(S)

2

TEST

Nitrate + Nitrite as N, EPA 353.2

Nitrate + Nitrite nitrogen as N

RESULT (mg/L)

<0.10

ANALYSIS NOTE(S)

3

SAMPLE AND ANALYSIS NOTES

1. Unless otherwise noted, the sample met container and preservation requirements for the analysis requested. Please review carefully your sample results for additional analyte comments or method exceptions.
2. If the total coliform bacteria and E.coli test results are "Absent" or "<1", these results are satisfactory and the water is bacterially safe for drinking purposes. If the total coliform bacteria test is "Present" or number is greater than or equal to 1 (e.g. 1, 20.7, 50.4, >200.5, etc), this result is UNSATISFACTORY and indicates the water is bacterially UNSAFE and should NOT be used for drinking unless properly disinfected before use (e.g. boiling for one minute). In addition, if the E.coli bacteria test result is also "Present" or number is greater than or equal to 1, this result indicates the water may be contaminated by human or animal sewage. E.coli presence indicates that the water may be contaminated with microorganisms that CAN cause disease and thus, represents a serious health concern. Contact your local county health department or SHL's web site (<https://shl.uiowa.edu/environmental-testing/private-well-water>) for information and guidance to help correct your water quality problem.
3. Interpretation: Nitrate+nitrite as N result less than or equal to 10 mg/L: does not exceed infant health advisory. Nitrate+nitrite as N result greater than 10 mg/L: EXCEEDS infant health advisory and this water should not be used to prepare formula or used for drinking by infants less than six months of age. Contact your local county health department or SHL's web site (<https://shl.uiowa.edu/environmental-testing/private-well-water>) for guidance.

Private well samples are not accredited to the TNI standard.

ANALYSIS INFORMATION

TEST

1. Total Coliform and E.coli Bacteria, SM 9223 B
2. Nitrate + Nitrite as N, EPA 353.2

ANALYZED

2025-07-01 16:19 OPL, JAS
2025-07-02 15:44 DJO, RTJ

SITE

3200
3200

RELEASED

2025-07-02 16:18 CLL
2025-07-03 17:47 RTJ

ANALYSIS PREP

Report Issue Date: 2025-07-03 17:47

**STATE HYGIENIC
LABORATORY**

ANALYTICAL REPORT

1-800-421-IOWA (4692)

Collection Location	Collector	Client Reference	Accession #
Kitchen Sink	File's Office		2000100

DESCRIPTION OF UNITS

(MPP)/100mL = Most Probable Number per 100 Milliliters
mg/L = Milligrams per Liter

SITE(S) PERFORMING TESTING

3000 STATE HYGIENIC LAB AT THE UNIV. OF IOWA, UNIVERSITY OF IOWA RESEARCH PARK, 3000 CROSSPARK RD, COVINGTON, IA 52241, Phone 319/335-4500, Fax 319/335-4550, Michael D. Schaefer, M.S., Associate Director, Michael A. Petrella, Ph.D., DABMM, Director, IOWA ENVIRONMENTAL LAB ID #027, CLIA ID Number 1000948109

The results of this report relate only to the items analyzed. Where the laboratory has not been responsible for the sampling steps, the results apply only to the sample as received. This report shall not be reproduced except in full without the written approval of the laboratory. If you have any questions, please call Client Services at 800/421-IOWA (4692) or 319/335-4500.



LEAD BASED PAINT DISCLOSURE

This form is approved by the Iowa City Area Association of REALTORS®



Property Address:

2960 160th St. Riverside, IA 52327

LEAD WARNING STATEMENT: Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

SELLER'S DISCLOSURE

Seller's Initials For Section A

JK	
----	--

Seller's Initials For Section B

JK	
----	--

A. Presence of lead-based paint and/or lead based paint hazards (check one below):

- ☐ Known lead based paint and/or lead-based paint hazards are present in the housing (attach explanation if applicable)
- ☒ Seller has no knowledge of lead-based paint and/or lead based paint hazards in the housing

B. Records and Reports available to the seller (check one below):

- ☐ Seller has provided the purchaser with all available records and reports pertaining to lead-based paint and/or lead based paint in the housing (list documents on an attachment if applicable)
- ☒ Seller has no reports or records pertaining to lead-based paint and/or lead-based hazards in the housing.

PURCHASER'S ACKNOWLEDGEMENT

Buyer's Initials For Section C

--	--

Buyer's Initials For Section D

--	--

Buyer's Initials For Section E

--	--

C. Purchaser acknowledges (check one below):

- ☐ Purchaser has received copies of all information listed above
- ☐ No records or reports were available

D. Purchaser has received pamphlet "Protect Your Family From Lead in Your Home"

E. Purchaser has (check one below):

- ☐ Received a 10 calendar day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.
- ☐ Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

AGENT'S ACKNOWLEDGEMENT

Seller's Agent's
Initials For Section F

Buyer's Agent's
Initials For Section G

BS	
----	--

F. The Seller's Agent has informed the Seller of the Seller's obligations under 42 U.S.C 4852d and is aware of his/her responsibility to ensure compliance.

☒ Or check here if N/A - Seller is not represented by a real estate licensee.

G. The Buyer's Agent has informed the Seller of the Seller's obligations under 42 U.S.C 4852d and is aware of his/her responsibility to ensure compliance.

☐ Or check here if N/A - Buyer's Agent is not receiving compensation from the Seller.

CERTIFICATION OF ACCURACY

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

Seller

Date

Purchaser

Date

Seller

Date

Purchaser

Date

Selling Agent

Date

Listing Agent

Date